



PRODUCT CATALOGUE



FOUTHER REATURES

SOLE FEATURES



Electrical Resistant

Electrical Hazard (EH) Protection reduces the danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18



Antistatic

Minimises the build up of electrostatic charges and provides protection against the risk of spark ignition for such hazards as flammable materials and gases.



Electrostatic Discharge (ESD) Protection

Electrostatic discharge protection (ESD) to protect wearers from damaging sensitive electronic equipment or igniting flammable materials.



HYDROstop®

Offers a 3 year guarantee against the effects of hydrolysis and microbiotic attack on the sole.

300°C

Heat resistant

sole (572° F)

Sole resistant

Cut resistant

fats

sole

to organic oils and





Abrasion resistant sole

Sole resistant to mineral oils and acids

SPECIAL FEATURES



Metatarsal Protection

Provides increased protection against the risk of impact and crush injuries. Metatarsal guards coupled with safety toe caps offer complete fore foot protection.



Sole Penetration Protection

Offers the reduced risk of sharp objects penetrating the sole and entering the foot.



SAFETYcell® Protection

Fully integrated protective shell offers enhanced abrasion and cut resistance from harsh working conditions.



leather

Waterproof



footwear







Hi-Vis Reflective Safety Trim





Snug Fit Heel Contour System

COMFORT FEATURES



COMFORTcushion® Impact Absorption

Provides superior cushioning and shock absorption helping to reduce foot, leg and back fatigue.





NANO/ite® Footbed

Massages feet as you walk, offering ultimate comfort and enhancing blood flow to reduce fatigue.



NATUREform® wide profile Type 1 safety toe cap

Offers a wide profile shape for greater comfort and ensuring toes are not in contact with the toe cap.





Antimicrobial Technology

Revolutionary anti-bacterial solution provides protection against odour, staining and deterioration caused by bacteria, fungus and other micro-organisms.



SOFTstride® Contour Comfort Support

Low density urethane foam contours to the individual foot shape to provide ultimate comfort and support.

TOE CAP FEATURES



Steel Safety Toe Cap

Type 1 Steel toe cap offers protection against drop and crush injuries. Developed to withstand a force of 200 joules.

Composite Safety Toe Cap

Non-Metallic Type 1 toe cap protection against drop and crush injuries. Lightweight and airport friendly. Developed to withstand a force of 200 joules.



SLIP RESISTANCE



Slip Resistant Sole

The following abbreviations provide information about slip resistance ratings:

- SRA: SRB: SRC:
- Slip resistance tested on ceramic tile floor with sodium lauryl sulphate (SLS) solution. Slip resistance tested on steel floor with glycerol.
 - Slip resistance tested on both ceramic tile floor with SLS solution and steel floor with glycerol.



CONTENTS

Carlo .



	Accessories Index	29 30
	66 Series Fire & Emergency Services Footwear	28
PT-	66 Series Smelter Footwear	27
PB's	38 Series Dual Density PU Executive Footwear	26
CORPORATION DANSES	49 Series Dual Density PU / Rubber Ladies Footwear	24
ST's	40 Series Active Range EVA Midsole/Rubber Outsole	22
	22 Series PVC Safety Gumboot	21
WB'S	34 Series Dual Density PU Footwear 26 Series Dual Density PU Non Safety Footwear	20
	24 Series Duel Density DU Featwar	14
	65 Series Waterproof Mining/Caustic Resistant Footwear	13
	55 Metatarsal Series Penetration Resistant Dual Density PU/Rubber Footwear	12
AT's	55 Series Dual Density PU / Rubber Footwear	8
	45 Series Dual Density PU / TPU Footwear	4



DUAL DENSITY PU/TPU FOOTWEAR

COMFORT*cushion*[®] Impact

Absorption System uses

a combination of cellular

urethane and PORON¹





COMPLIES WITH AS 2210.3:2019 EN ISO 20345:2011 ASTM F2413-18

> Long wearing TPU outsole designed to self clear rocks and debris from tread. Excellent abrasion resistance

> > Latex toe cap liner for added comfort Protection strip



toe cap

PORON© 2013 Rogers Corporation. All Rights Reserved
 © Devan Chemicals NV 2015

Oliver Comfort Footbed enhances natural air flow; infused with Odorban[™] Control Technology.

Oliver SOFT*stride®* open cell low density urethane foam for comfort and contour support

freshness and hygiene

Full lining infused with

absorb odour for optimum

eco friendly Odorban² Control Technology to

Water resistant leather

Bevelled heel for excellent slip resistance

Stabilising and support shank

Shock absorbing Polyurethane midsole





Resistant eather Composite Toeran





Odorban[™] Control Technology

The Oliver Comfort System footbed now includes Odorban™ Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



COMFORT*cushion®* Impact Absorption System

COMFORT*cushion*[®] uses a combination of cellular urethane and **PORON**[®] performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg, and lower back fatigue.



Oliver SOFTstride® Comfort System

Oliver **SOFTstride**[®] Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**[®] gives added reassurance to help you get through those long hours on your feet.



Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian Standard AS 2210.3.



NEW RELEASE



45-632Z

150MM WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
- · Full lining and comfort footbed infused with Odorban™ Control Technology
- · Fully non-metallic
- · Convenient side zip
- Sizes: 5 14, 6¹/₂ 10¹/₂



45-652Z

150MM STONE ZIP SIDED BOOT

- · Water resistant nubuck leather
- Full lining and comfort footbed infused with Odorban[™] Control Technology EXTRA FEATURES:
- · Fully non-metallic · Convenient side zip
- Sizes: 5 14, 61/2 101/2



45-645Z **150MM BLACK ZIP SIDED BOOT**

- Water resistant full grain leather
- · Full lining and comfort footbed infused with
- Odorban[™] Control Technology Fully non-metallic EXTRA FEATURES:
- · Convenient side zip

30

DAY

Sizes: 5 - 14, 6¹/₂ - 10¹/₂



150MM WHEAT LACE UP BOOT

- · Water resistant nubuck leather
- · Full lining and comfort footbed infused with Odorban[™] Control Technology
- · Fully non-metallic

45-632

Sizes: 5 - 14, 6¹/₂ - 10¹/₂

Try a pair of correctly fitted Oliver AT45 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

- 45-645 **150MM BLACK LACE UP BOOT**
- · Water resistant full grain leather

IMPFR

- Full lining and comfort footbed infused with Odorban[™] Control Technology
- · Fully non-metallic
- Sizes: 5 14, 6¹/₂ 10¹/₂

All AT45 styles are airport friend



N. M. S. M. M.

SOLING TECHNOLOGY



TOE BUMPER

COMFORT GUARANTEE

+ Must produce dated receipt and guarantee tag



Cut Resistant sole

Slip Resistant sole and acids

Sole resistant to mineral oils

Electrical Hazard Sole resistant to Resistant organic oils and fats



- splitting and cracking. Superior slip resistance,
- rated SRB.
- · Will not mark floors.

on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.

AT's All Terrain TPU Soling Technology

Lightweight, shock absorbing

low density PU (Polyurethane)

midsole which cushions the foot

- (Thermo Plastic Urethane) outsole provides superior grip and abrasion resistance. Heat resistant outsole to
- temperatures of 130° Celsius. · Electrical Hazard (EH) Protection.

High density hard-wearing TPU

and chemicals. · Superior resistance to abrasion,

Reduces danger of accidental

contact with live electrical

ASTM F2413-18.

circuits in accordance with

Resistant to most oils, acids



OUAL DENSITY PU/TPU FOOTWEAR







45-627 **BROWN ELASTIC SIDED BOOT**

Water resistant pull up leather

- Comfort footbed infused with Odorban™ **Control Technology**
- Fully non-metallic
- Sizes: 5 14, 6½ 10½



45-640Z **130MM BLACK ZIP SIDED BOOT**

- Water resistant full grain leather
- · Full lining and comfort footbed infused with Odorban™ Control Technology
- Fully non-metallic

30


· Convenient side zip



Sizes: 5 - 14, 6¹/₂ - 10¹/₂

45-630Z **130MM WHEAT ZIP SIDED BOOT**

- Water resistant nubuck leather
- · Full lining and comfort footbed infused
- with Odorban[™] Control Technology
- Fully non-metallic
- · Convenient side zip



EXTRA FEATURES:





45-650Z **130MM STONE ZIP SIDED BOOT**

- · Water resistant nubuck leather · Full lining and comfort footbed infused
- with **Odorban™** Control Technology • Fully non-metallic
- · Convenient side zip

Try a pair of correctly fitted Oliver AT45 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought

them from for exchange or refund. †



WITH

EXTRA FEATURES:

AS 2210.3:2019 COMPLIES EN ISO 20345:2011 ASTM F2413-18

Sizes: 5 - 14, 6¹/₂ - 10¹/₂

DAY † Must produce dated receipt and guarantee tag

COMFORT GUARANTEE

SOLING

TECHNOLOGY





Abrasion **Resistant sole**

NATURE

wide profile Type 1 safety toe cap

mum **Cut Resistant** sole

go

r Resista



Toecan

sole



organic oils

and fats

SOFTstride

Support

tour Comfort

Sole resistant to

mineral oils

and acids



Sole resistant to Electrical Hazard Resistant














NANOlite® Technology

The Oliver Comfort System now has a unique **NANO***lite®* footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.



COMFORTcushion[®] Impact Absorption System

Oliver's unique **COMFORT**cushion[®] uses a combination of cellular urethane and **PORON**[®] performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



NATUREform® Type 1 Toe Cap

Oliver **NATUREform**[®] toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**[®] caps are licensed to the Australian Standard AS 2210.3.



Oliver SOFTstride® Comfort System

Oliver **SOFTstride**[®] Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**[®] gives added reassurance to help you get through those long hours on your feet.





55-320 BLACK ELASTIC SIDED BOOT

- Water resistant full grain leather
- Premium COOLstep® lining for optimum freshness
- NANOlite® footbed for greater comfort
- Sizes: 4 14, 6¹/₂ 12¹/₂

55-322 WHEAT ELASTIC SIDED BOOT

- Water resistant nubuck leather
- Premium COOLstep[®] lining for optimum freshness
- NANOlite® footbed for greater comfort
- Sizes: 4 14, 6¹/₂ 12¹/₂



55-332 150MM WHEAT LACE UP BOOT

- 150MM WHEAT LACE UP BOU
- Water resistant nubuck leather
 Premium COOLstep® lining for optimum freshness
- **NANO***lite*[®] footbed for greater comfort **Sizes:** 4 - 14, $6\frac{1}{2} - 12\frac{1}{2}$



55-332Z 150mm wheat zip sided boot

- Water resistant nubuck leather
- Premium COOLstep[®] lining for optimum freshness
- NANOlite[®] footbed for greater comfort
- Convenient quick release zipper

Sizes: 4 - 16, 6½ - 12½ ► NEW EXTENDED SIZE




55-352Z

150MM STONE ZIP SIDED BOOT

- Water resistant nubuck leather
 Premium **COOLstep**[®]
- lining for optimum freshness
- NANOlite® footbed for greater comfort

NEW

- Convenient quick release zipper
- **Sizes:** 4 14, 6½ 12½



Try a pair of correctly fitted Oliver AT55 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †



AT's All Terrain Dual Density PU/Rubber Soling technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- All Terrain nitrile rubber outsole with new deeper tread profile and self-cleaning design for superior grip and durability.
 Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

DUAL DENSITY PU / RUBBER FOOTWEAR





55-337 **150MM BROWN LACE UP BOOT**

- · Water resistant pull up leather
- Premium COOLstep® lining for optimum freshness
- NANOlite® footbed for greater comfort
- Sizes: 4 14, 6¹/₂ 12¹/₂



55-345 **150MM BLACK LACE UP BOOT**

- Water resistant full grain leather
- Premium COOLstep® lining for optimum freshness

Toe Cap

Slip Resistant

sole

• NANOlite® footbed for greater comfort Sizes: 4 - 14, 6¹/₂ - 12¹/₂



55-345Z **150MM BLACK ZIP SIDED BOOT**

- Water resistant full grain leather • Premium COOLstep® lining for optimum freshness
- NANOlite® footbed for greater comfort
- Convenient quick release zipper
- NEW EXTENDED SIZE **Sizes:** 4 - 16, 6¹/₂ - 12¹/₂



55-385 200MM HI-LEG WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
- Premium COOLstep® lining for optimum freshness

0

300°C

Heat Resistant

sole (572° F)

- NANOlite® footbed for greater comfort
- · Convenient quick release zipper
- Sizes: 4 14, 6¹/₂ 12¹/₂



55-380 200MM HI-LEG BLACK ZIP SIDED BOOT

WITH

Technology

Antistatic

discharges static

build-up

- Water resistant full grain leather
- Premium COOLstep® lining for optimum freshness
- NANOlite® footbed for greater comfort
- · Convenient quick release zipper

Sole resistant to

organic oils

and fats

Sole resistant to

mineral oils

and acids

Sizes: 4 - 14, 6¹/₂ - 12¹/₂



wide profile Type 1 safety toe cap

Abrasion

Resistant sole

mum

Cut Resistant

sole



SOFTstride

Support

AS 2210.3:2019

ASTM F2413-18

EN ISO 20345:2011



TECHNOLOGY

COMFORT TECHNOLOGY

SOLING

10



55-330Z 130MM WHEAT ZIP SIDED BOOT

- Water resistant nubuck leather
- Premium COOLstep® lining for optimum freshness
- NANOlite® footbed for greater comfort
 Snug Fit Heal Contour System
- Convenient quick release zipper Sizes: 4 - 14, 6¹/₂ - 12¹/₂

EXTRA FEATURES: SNUG FIT HEEL Contour System



55-340Z 130MM BLACK ZIP SIDED BOOT

- Water resistant full grain leather
 Premium COOLstep[®] lining for optimum freshness
 NANOlite[®] footbed for greater comfort
- Snug Fit Heal Contour System
- · Convenient quick release zipper Sizes: 4 - 14, 6½ - 12½





55-350Z 130MM STONE ZIP SIDED BOOT

- Water resistant nubuck leather
- Premium COOLstep® lining for optimum freshness
- NANOlite® footbed for greater comfort
- Snug Fit Heal Contour System
- Convenient quick release zipper Sizes: 4 - 14, 6¹/₂ - 12¹/₂











PENETRATION RESISTANT NETRIALSOL DUAL DENSITY PU / RUBBER FOOTWEAR









Oliver **SOFT**stride[®] Comfort System works to soften and absorb

the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**[®] gives added reassurance to help you get through those long hours on your feet.



Oliver **COOLstep**[®] lining to absorb moisture and odour for optimum freshness and hygiene.

SOLING TECHNOLOGY

PORON® XRD™ Metatarsal Guard - Extreme Impact Protection.

55-346 150MM BLACK LACE UP BOOT

Premium COOLstep® lining for optimum freshness
 NANOlite® footbed for greater comfort

• Q-flex® non-metallic penetration protection insole

· Water resistant full grain leather

• PORON[®] XRD[™] Metatarsal Guard

Sizes: 4 - 14, 6¹/₂ - 12¹/₂

PORON[®] XRD[™] is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the PORON[®] XRD[™] high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force* - hit after hit.

*as measured according to ASTM-F1614-C PORON® and XRDTM are licensed trademarks of Rogers Corporation



55-336 150MM WHEAT LACE UP BOOT

Premium COOLstep® lining for optimum freshness
 NANO/ite® footbed for greater comfort

• Q-flex® non-metallic penetration protection insole

METATARSAL Range

EXTRA FEATURES:

· Water resistant nubuck leather

• PORON[®] XRD[™] Metatarsal Guard

Sizes: 4 - 14, 6½ - 12½

PORON® XRD™ REVOLUTIONARY Metatarsal protection





NANOlite® Technology

The Oliver Comfort System now has a unique **NANOI***ite*® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.



COMFORTcushion® Impact Absorption System

Oliver's unique **COMFORT***cushion*[®] uses a combination of cellular urethane and **PORON**[®] performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.



NATURE*form®* Type 1 Toe Cap

Oliver **NATUREform**[®] toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**[®] caps are licensed to the Australian Standard AS 2210.3.



COMFORT GUARANTEE

† Must produce dated receipt and guarantee tag

AT's All Terrain Dual Density PU/ Rubber Soling technology

The AT's Dual Density PU / Rubber Soling Technology combines a soft shock absorbing low density PU midsole with a high density hard wearing nitrile rubber outsole. The long wearing All Terrain rubber outsole is designed for superior grip and durability.

AT's Rubber soling technology offers:

- Heat resistant outsole to temperatures of 300° Celsius.
 Electrical Hazard (EH) Protection. Reduces danger of accidental
- contact with live electrical circuits in accordance with ASTM F2413-18
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
 Superior resistance to abrasion and cutting.
- Superior resistance to abrasion and cutting
- Excellent slip resistance, rated SRC.



WATERPROOF MINING/CAUSTIC **RESISTANY FOOTWEAR**



COMPLIES WITH AS 2210.3:2019 EN ISO 20345:2011 ASTM F2413-18



65-791 **350MM BLACK** LACE UP MINING BOOT

- 100% waterproof premium full grain leather · New Y-Guard TPU ankle protectors provides
- impact resistance Flush, integrated zip contours to the boot
- Heavy Duty KEVLAR^{®1} stitching on critical wear seams
- Internal PORON® XRD metatarsal guard • Q-flex® non metallic penetration
- protection insole
- · Reflective panel above the heel

increases visibility Sizes: 4 - 16, 6¹/₂ - 12¹/₂





65-493 240MM BROWN PULL ON RIGGERS BOOT

- 100% waterproof premium full grain leather
- · Heavy duty coated leather for ultimate durability
- Internal PORON® XRD metatarsal guard
- Q-flex® non metallic penetration
- protection insole
- Sizes: 4 16, 6¹/₂ 12¹/₂



65-490 **150MM BROWN LACE UP BOOT**

- 100% waterproof CORDURA[®] and
- full grain leather · High abrasion and chemical resistance
- New and improved SAFETYcell®
- · Q-flex® non metallic penetration protection insole
- Free running, quick-adjust lacing system
- Sizes: 4 16, 6¹/₂ 12¹/₂

EXTRA FEATURES:

30

65-490Z

150MM BROWN ZIP SIDED BOOT

- 100% waterproof premium
- full grain leather Heavy duty coated leather for
- ultimate durability
- · High abrasion and chemical resistance
- New and improved SAFETYcell®
- Q-flex® non metallic penetration protection insole
- · Convenient quick release zipper

000

Midsole

protection

Sizes: 4 - 16, 6¹/₂ - 12¹/₂











NANOlite® Technology

Improved NANOlite® footbed features moisture wicking characteristics and improved softer materials which provide additional cushioning and comfort. Increased perforations enable better breathability and the 3-layer structure promotes lower leg circulation reducing worker fatigue.



NATUREform® Type 1 Toe Cap

00000000

COMFORTcushio

impact.

ø

NANOlite

footbed

11008

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform caps are licensed to the Australian Standard AS 2210.3.



NATURE

wide profile Type 1 safety toe cap

COMFORT*cushion*[®] Impact Absorption System

Steel Safety

foe Cap

Oliver's unique COMFORTcushion® uses a combination of cellular urethane and **PORON**[®] performance cushioning to protect the heel and ball of the foot, providing superior cushioning and shock absorption at the heel. This constant impact absorption helps reduce foot, leg and lower back fatigue.

20

Water Resistant

SAFETYcell

protection



PORON[®] XRD™ **Metatarsal Guard**

PORON® XRD is not only comfortable, flexible and lightweight but frees you of rigid, bulky and constricting padding. On impact, the PORON® XRD high performance molecules create a unique protective shield that absorbs up to 90% of the most intense force* - hit after hit.

DUAL DENSITY PU FOOTWEAR







COMFORTcushion® Impact Absorption System

COMFORT*cushion*[®] uses a combination of cellular urethane and **PORON**[®] performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.



Odorban[™] Control Technology

The Oliver Comfort System footbed now includes **Odorban™** Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



NATUREform® Type 1 Toe Cap

Oliver **NATUREform**[®] toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**[®] caps are licensed to the Australian Standard AS 2210.3.



EXTRA FEATURES:

DI BUMPER





34-660

BLACK ZIP SIDED ANKLE BOOT

• Water resistant full grain leather

Full lining and comfort footbed infused with Odorban™ Control Technology

· Convenient side zip

 Toe bumper to protect against scuffing Sizes: 4 - 13, 6½ - 10½



- · Water resistant nubuck leather
- Full lining and comfort footbed infused with **Odorban™** Control Technology

WHEAT ZIP SIDED ANKLE BOOT

· Convenient side zip

34-662

 Toe bumper to protect against scuffing Sizes: 4 - 13, 6¹/₂ - 10¹/₂



- · Water resistant nubuck leather
- Full lining and comfort footbed infused with Odorban[™] **Control Technology**
- Sizes: 4 13, 6¹/₂ 10¹/₂

HYDRO

0



HYDROstop® offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.





HYDROstop® PROTECTION





Cut Resistant Slip Resistant sole sole

Sole resistant to mineral oils

and acids

Sole resistant to organic oils

10

Electrical Hazard Resistant and fats

GRIPthane® Dual Density Polyurethane sole

- Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- · Hard wearing PU outsole is designed for superior grip and durability
- contact with live electrical circuits · Heat resistant outsole to temperatures of 130° Celsius
 - in accordance with ASTMF2413-18 Resistant to mineral and organic oils and acids

• Electrical Hazard (EH) Protection

reduces danger of accidental

- Superior resistance to abrasion
- and cutting Excellent slip resistance, rated SRC

DUAL DENSITY PU FOOTWEAR







34-692 250MM BROWN PULL ON RIGGERS BOOT

• Water resistant pull up leather

• Full lining and comfort footbed infused with Odorban™ Control Technology

• Toe bumper to protect against scuffing **Sizes:** $4 - 13, 6\frac{1}{2} - 10\frac{1}{2}$

34-620

BLACK ELASTIC SIDED BOOT

· Water resistant full grain leather

· Comfort footbed infused with



EXTRA FEATURES:

ourea

CLARET ELASTIC SIDED BOOT

• Water resistant full grain leather

Sizes: 4 - 13, 6¹/₂ - 10¹/₂

• Comfort footbed infused with Odorban™ Control Technology

34-623

BLACK LACE UP ANKLE JOGGER

Water resistant suede leather

 Full lining and comfort footbed infused with Odorban™ Control Technology

Electrical Hazard

Resistant

Sole resistant to

organic oils

and fats



Abrasion

Resistant sole

Cut Resistant

sole

Slip Resistant

sole

Sole resistant to

mineral oils

and acids

34-624

BEIGE ELASTIC SIDED BOOT

· Water resistant suede leather

· Comfort footbed infused with

TECHNOLOGY

HYDROstop

3 year guarantee

against hydrolysis

Heat Resistant

sole (266° F)





HYDRO

HYDROstop® PROTECTION

 ${\rm HYDROstop}^{\otimes}$ offers a 3 year guarantee from date of manufacture against the effects of hydrolysis and microbiotic attack on the sole.

34-652

BLACK LACE UP DERBY SHOE

- Water resistant smooth full grain leather
- Full lining and comfort footbed infused with Odorban™ Control Technology
 Sizes: 4 - 13, 6½ - 10½



34-615 Wheat slip on sports shoe

- WHEAT SLIP UN SPURIS SHUE
- Water resistant nubuck leather with EXPANDflex® for easy donning and doffing
- Full lining and comfort footbed infused with Odorban™ Control Technology

Sizes: 4 - 13, 6¹/₂ - 10¹/₂



34-610 Black slip on sports shoe

- Water resistant nubuck leather with EXPANDflex® for
- easy donning and doffing
- Full lining and comfort footbed infused with Odorban™ Control Technology

Sizes: 4 - 13, 6¹/₂ - 10¹/₂







A PROUD TRADITION - FOUNDED 1887

Oliver Footwear, Australia's leading Safety Footwear Manufacturer owes its origins to gold mining in the Victorian provincial city of Ballarat.

Our founder James Oliver, a boot-maker by trade, came to the goldfields of Ballarat, then amongst the richest alluvial and underground mining fields in the world, in the mid 1800's. His quest for the elusive nuggets was unsuccessful, so he returned to the trade of boot-making which he had learned in the U.K.

Established as the business of Oliver & Stevens, the new venture commenced producing tough and durable boots for miners and farmers in 1887.

The same entrepreneurial streak which marked the establishment of the business in 1887 continues today with Oliver Footwear building on its commitment to footwear product design in Victoria, Australia.

Product research and development to address the needs and demands of tough workplace safety environments will always be a central part of our company philosophy.



1938 - Jack Oliver's 60 Bridge Street Store. This photograph was taken during Ballarat's centenary celebrations.



LOVE YOUR FEET MADE E



Ongoing investment in manufacturing technology, business systems and people ensures that Oliver continues to adopt world's best practice in all parts of the business.

Oliver is now part of Honeywell Industrial Safety which offers not just the world's most comprehensive lines of Personal Protective Solutions but the most respected brands that make workers embrace safety on their own.









Tread pattern designed for excellent slip resistance

GRIPthane® tread pattern for greater traction and heat resistant to 130°C

> Non-woven moisture wicking lining

Flexible EVA toe form



Water Resistant Upper

COMFORTcushion® Impact Absorption System uses a combination of cellular urethane and PORON®

Oliver Comfort Footbed enhances natural air flow; infused with Odorban™ Control Technology.

Shock absorbing Polyurethane midsole



AS 2210.5:2019 EN ISO 20347:2012 ASTM F2892-18



26-660 140MM BLACK ZIP SIDED BOOT

 Water resistant full grain leather
 Full lining and comfort footbed infused with Odorban™ Control Technology

• Convenient side zip • Sizes: 4 - 13, 6½ - 10½

26-620 BLACK ELASTIC SIDED BOOT

Water resistant full grain leather
 Comfort foot bed infused with Odorban™ Control Technology

Sizes: 4 - 13, 6½ - 10½



COMFORT*cushion®* Impact Absorption System

COMFORT*cushion*[®] uses a combination of cellular urethane and **PORON**[®] to protect the heel and ball of the foot by providing superior cushioning and shock absorption, reducing foot, leg, and lower back fatigue.

Odorban[™] Control Technology

The Oliver Comfort System footbed now includes **Odorban**[™] Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.

GRIP*thane*[®] Dual Density Polyurethane sole

- Lightweight shock absorbing low density PU midsole extends deep into the cleat which not only assist with surface grip, but also provides cushioning to absorb the shock of rough surfaces.
- Hard wearing PU outsole is designed for superior grip and durability
- Heat resistant outsole to temperatures of 130° Celsius
- Electrical Hazard (EH) Protection reduces danger of accidental contact with live electrical circuits in accordance with ASTMF2413-18
- Resistant to mineral and organic oils and acids
- Superior resistance to abrasion and cutting
- Excellent slip resistance, rated SRC







SOLING TECHNOLOGY





22 Series PVC / Nitrile Soling Technology

The WB 22 series sole consists of a hard wearing heavy duty PVC / Nitrile sole that offers extra deep tread for greater stability and grip on uneven and loose surfaces.

WB's 22 Series PVC / Nitrile soling technology offers:

- Heat resistant to temperatures of 130° Celsius.
- · Excellent slip resistance, rated SRC.
- Resistant to solvents, mild acids, alkalis, some chemicals, oils and fats.
- Will not mark floors.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18.





NANOlite® Technology

The Oliver Comfort System now has a unique **NANO***lite*® footbed for greater comfort and well-being. The gently raised surface of the sole massages your feet as you walk, promoting greater blood flow to help reduce fatigue. Plus, a perforated foam air control layer enhances air circulation, reducing odour.



000000

22-205

· Kick off spur

Sizes: 5-13

· Two trim heights

GREY SAFETY GUMBOOT • Waterproof PVC gumboot • STEELflex® steel midsole penetration protection

• METprotect® Metatarsal protection

NATUREform® Type 1 Toe Cap

Oliver **NATUREform**[®] toe caps have a wide profile shape to suit your foot and ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**[®] caps are licensed to the Australian Standard AS 2210.3.



Leel Safet

Toe Can

METprotect® Metatarsal Protection

Oliver patented **METprotect**[®] metatarsal protection offers revolutionary inbuilt design technology to protect the impact strike zone. The enhanced design offers comfort and flexibility not afforded by traditional metatarsal protection materials.



Metatarsa

STEELflex® Protection System.

Steel midsole protection reduces the risk of sharp objects penetrating the sole and entering the foot. A thin protective shield is inserted in the midsole providing safety while retaining comfort and flexibility of the sole. Meets requirements of Australian Standard AS 2210.3.

ACTIVE RANGE EVA MIDSOLE / RUBBER OUTSOLE





Transport & Logistics / Manufacturing / Storage & Warehousing / Building & Construction / Light Industry / Security

300°C HRO heat resistant rubber outsole.

comfort and contour support.





Shock Absorber Footbed

Oliver's Shock Absorber Footbed is breathable, anti-bacterial and supports the heel and ball of the foot with uncompromising comfort. Superior cushioning provides absolute shock absorption to reduce the impact of each step on the body.



Electrostatic Discharge (ESD) Protection

Specially built into footwear to limit build-up of electrostatic charges to protect wearers from damaging sensitive electronic equipment or igniting flammable materials.



Predictive Wear Feature

Patented wear-off indicators added to the sole provides an early warning on sole wear and potential loss of grip, aiding in timely identification when replacement is due.



Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian Standard AS 2210.3.



- cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- abrasion resistance. · Heat resistant outsole to
- temperatures of 300° Celsius.
- Electrostatic discharge protection (ESD) to protect wearers

Resistant to most oils, acids and

ST40 SERIES

- chemicals.
- · Superior resistance to abrasion, splitting and cracking.

LADIES DUAL DENSITY PU/RUBBER FOOTWEAR







COMFORTcushion® Impact Absorption System

COMFORT*cushion*[®] uses a combination of cellular urethane and **PORON**[®] performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption...reducing foot, leg, and lower back fatigue.

¹ © Devan Chemicals NV 2015

24



Odorban™ Control Technology

The Oliver Comfort System footbed now includes **Odorban**¹ Control Technology for greater comfort. This anti microbial solution controls the bacteria that cause odour, stains and product deterioration. The new comfort footbed also has perforated air channels to promote natural airflow to the feet and help maintain freshness.



NATUREform® Type 1 Toe Cap

Oliver **NATUREform**[®] toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**[®] caps are licensed to the Australian Standard AS 2210.3.



Oliver SOFTstride® Comfort System

Oliver **SOFTstride**[®] Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**[®] gives added reassurance to help you get through those long hours on your feet.



49-445Z

BLACK ZIP SIDED BOOT

- Water resistant full grain leather Premium COOLstep® lining for optimum freshness
- · Convenient side zip

Metric sizes: 35 - 43



NEW



PB49 SERIES

49-432Z

WHEAT ZIP SIDED BOOT

- · Water resistant nubuck leather
- Premium COOLstep® lining for optimum freshness
- · Convenient side zip EXTRA FEATURES: Metric sizes: 35 - 43







BLACK SLIP ON SHOE

30

DAY

• Water resistant full grain leather

 Premium COOLstep[®] lining for optimum freshness Metric sizes: 35 - 43

LADIES SIZE CONVERSION CHART*

Convenient side zip

Metric sizes: 35 - 43

49-450Z

STONE ZIP SIDED LOW-CUT BOOT

• Premium COOLstep® lining for optimum freshness

Water resistant nubuck leather

							1.00					
METRIC	35	36	37	38		39	40	41		42		43
UK/AUST WOMEN	5	6	6½	7	7½	8	8½	9	9½	10	10½	11

EXTRA FEATURES:

TOE BUMPER

* Chart is to be used as a guide only
 * When ordering ladies styles only quote METRIC sizes



HEFI

GUARD

Cut Resistant Slip Resistant sole sole



Antistatio discharges stati build-up

COMFORT GUARANTEE

† Must produce dated receipt and guarantee tag Try a pair of correctly fitted Oliver PB49 Boots for 30 days and, if you are not completely satisfied, return them to the specialist dealer you bought them from for exchange or refund. †

PB's Dual Density PU/Rubber Soling Technology

- Lightweight, shock absorbing low density PU (Polyurethane) midsole which cushions the foot on impact to provide unmatched comfort and help reduce foot, leg and lower back fatigue.
- Long wearing PB nitrile rubber outsole is designed for superior grip and durability.
- · Heat resistant outsole to temperatures of 300° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- · Resistant to mineral oils, acids, alkalis, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

DUAL DENSITY PU EXECUTIVE FOOTWEAR







38-275 BLACK LACE UP DERBY SHOE

Water resistant soft touch leather
Premium leather lining
Sizes: 6- 13, 6 ¹/₂ - 10 ¹/₂



38-265 BLACK ZIP SIDE BOOT • Water resistant soft touch leather

Premium leather lining
Sizes: 6-13, 6 ½ - 10 ½



38-250 BLACK ELASTIC SIDED BOOT • Water resistant soft touch leather • Premium leather lining

Sizes: 6- 13, 6 ½ - 10 ½



NATUREform® Type 1 Toe Cap

Oliver **NATUREform**[®] toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with **NATUREform**[®] caps are licensed to the Australian Standard AS 2210.3.

Oliver SOFTstride[®] Comfort System

Oliver **SOFTstride**[®] Comfort System works to soften and absorb the impact on the foot stride after stride. A layer of open cell low density urethane foam built into the insole contours to the individual foot shape to provide ultimate comfort and support. The unique Oliver **SOFTstride**[®] gives added reassurance to help you get through those long hours on your feet.

38 Series PB's Dual Density PU (Polyurethane) sole features:

- Heat resistant outsole to temperatures of 130° Celsius.
- Anti Static minimises the build up of electrostatic activity and provides protection against the risk of spark ignition hazards including flammable materials and gases.
- Resistant to most oils, acids and chemicals.
- Resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

EEL/SMELTER,























COMFORTcushion[®] Impact **Absorption System**

COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption ... reducing foot, leg and lower back fatigue.

NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian Standard AS 2210.3.

66 Series HS Dual Density Soling Technology

Sole resistant to

mineral oils

and acids

The 66 Series HS features a Heavy-Duty Nitrile Rubber Soling System with an integrated comfort layer of urethane which cushions the foot on impact. This improvement has led to a 15% reduction in product weight, which provides greater flexibility for workers, reduced worker fatigue and downtime, plus increased productivity.

- Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18.
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

FIRE S EMERGENCY SERVICES FOOTWEAR





· Heavy duty red Nomex® stitching



COMFORTcushion® Impact Absorption System

COMFORTcushion® uses a combination of cellular urethane and PORON® performance cushioning to protect the heel and ball of the foot by providing superior cushioning and shock absorption... reducing foot, leg and lower back fatigue.

NATUREform® Type 1 Toe Cap

Oliver NATUREform® toe caps have a wide profile shape to suit your foot and are padded with a latex cushion liner to ensure toes are comfortable and not in contact with the cap. Oliver boots with NATUREform® caps are licensed to the Australian Standard AS 2210.3.

Non Metallic Composite Toe Cap Technology

Oliver has pioneered a new innovative Hi-Impact Non-Metallic Composite type 1 toe cap which is more than 40% lighter than traditional steel toe caps and still exceeds the Australian Standard AS 2210.3.

66 Series HS Dual Density Soling Technology

The 66 Series HS features a Heavy-Duty Nitrile Rubber Soling System with an integrated comfort layer of urethane which cushions the foot on impact. This improvement has led to a 15% reduction in product weight, which provides greater flexibility for workers, reduced worker fatigue and downtime, plus increased productivity.

- · Heat resistant outsole to temperatures of 300° Celsius.
- Electrical Hazard (EH) Protection. Reduces danger of accidental contact with live electrical circuits in accordance with ASTM F2413-18
- Resistant to mineral oils, acids, alkalies, animal fats and oils.
- Superior resistance to abrasion and cutting.
- Excellent slip resistance, rated SRC.

SINCE 185



INSOL-N NANOLITE FOOTBED

NANOlite Impact Absorption System insole with PORON. Sizes: 4–14



ZIP791

style 65-791

Optional zip for

26cm - sizes 4-7

28cm - sizes 8-10

30cm - sizes 11-16

ZIP495 Replacement zip for style 66-495 **18cm** - sizes 2-6 **19cm** - sizes 7-10 **20cm** - sizes 11-17



ZIP460 Optional zip for style 66-460 **15cm** - sizes 3-6 **16cm** - sizes 7-10 **17cm** - sizes 11-15



REPLACEMENT LACES LACE CODE **REPLACEMENT FOR:** SIZE COLOUR L- BL105 34-652, 44-500 BLACK 105 cm BLACK L- BL125 26-660, 34-660 125 cm L-BU090 49-414 90 cm BILIF L-BS145 45-650Z, 55-350Z 145 cm BROWN / STONE L- BU145 44-535 145 cm BLUE L- EX080 38-275 80 cm BLACK - EXEC L- FP160 66-460, 66-495 160 cm FIREPROOF / BLACK L-GB085 55-380 85 cm GREY/ BLACK 26-636, 34-613, 34-634, L-GB125 125 cm GREY / BLACK 44-515, 49-445Z L-GB145 45-640Z, 55-340Z 145 cm GREY / BLACK 45-637, 45-640Z, 45-645, 45-645Z, 55-337, 55-340Z, 55-345, L-GB155 155 cm GREY / BLACK 55-345Z, 55-346, 65-490 34-623 L-GB175 175 cm GREY / BLACK GREY / BLACK L-GB2 65-791 250 cm L-G0085 55-385 85 cm GOLD / BROWN L-G0125 34-632, 34-662, 49-432, 49-432Z 125 cm GOLD / BROWN L-G0145 45-630Z, 55-330Z 145 cm GOLD / BROWN 34-674, 45-632, 45-632Z, 45-630Z, L-G0155 155 cm GOLD / BROWN 55-330Z, 55-332, 55-332Z, 55-336 L-PK130 49-445Z 130 cm PINK / BLACK 49-432, 49-432Z L-PW130 130 cm PINK / WHEAT



- * Chart is to be used as a guide only, it is recommended to always try on shoe for fit before purchasing
- ** When ordering mens styles always quote UK/AUST MEN sizing
- *** When ordering ladies styles always quote METRIC sizing

For size guide and conversion chart visit **www.oliver.com.au/size_guide**

OLIVER FOOTWEAR SIZE CONVERSION CHART*

UK/AUST Men**	UK/AUST LADIES***	METRIC	USA MEN	USA LADIES
2	4	34	3	4, 41/2
3	5	35	4	5, 5½
4	6	36	5	6, 6½
41⁄2	6½	37	51⁄2	7
5	7	38	6	71⁄2
51⁄2	71⁄2		6½	8
6	8	39	7	81⁄2
61⁄2	81⁄2	40	71⁄2	9
7	9	41	8	91⁄2
7½	91⁄2		81⁄2	10
8	10	42	9	101⁄2
81⁄2	101⁄2		91⁄2	11
9	11	43	10	11½
91⁄2			10½	
10		44	11	
101⁄2		45	11½	
11		46	12	
12		47	13	
13		48	14	
14		49	15	
15		50	16	
16		51	17	
17		52	18	



MANUFACTURER'S WARRANTY

Oliver stands for quality, comfort and protection. That's why our safety footwear is backed by a 6 month Manufacturers warranty... the Oliver Promise. Oliver leather safety shoes and boots are

warranted for six $(\acute{6})$ months from the date of purchase against defective workmanship and/or materials when used under normal conditions for the purpose intended. The warranty is void if in the opinion of Oliver that the product has been misused or subject to excessive wear and tear including exposure to chemicals, cement, lime or heat if the footwear has not been designed to be used in these environments. As a requirement of this warranty the

As a requirement of this warranty the purchaser must present the footwear and provide evidence of purchase. Please return the footwear to the place of purchase. The footwear will then be returned to Oliver for inspection by an authorized Oliver employee. If the footwear is defective they will be repaired and returned where possible, otherwise replacement footwear will be provided by Oliver. This warranty is in addition to, and does not limit consumer's statutory rights. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.




-

FOOTWEAR



























THE OLIVER PROMISE

Oliver guarantee total comfort. From our energy absorbing soling technology to removable **COMFORTcushion®** PORON/PU footbeds and leather uppers, Oliver delivers superior comfort with every step you take.

Oliver provides total-foot support and superior stability which not only keeps you safe at work but comfortable all day long.

Oliver boots and shoes are built to last with tough, quality materials and a construction that protects your feet from hazards all year round.

OLIVER FOOTWEAR

1B, 69 Dalton Road, Thomastown, Victoria 3074

Tel: 1300 1 BOOTS (26687) Email: info@oliver.com.au

WWW.OLIVER.COM.AU

@oliverfootwear

f Facebook.com/oliversafetyfootwear



VERSION 07-2023

Honeywell