

**Dy-Mark**



# PRODUCT GUIDE

# COMPANY INTRODUCTION

Dy-Mark® is an Australian made and owned company based in Brisbane. We manufacture and distribute globally, high quality, industrial strength range of; marking, metal protection and cleaner/lubricant solutions to the industrial market.

The comprehensive range of products provide quality results for a wide range of industries including construction, mining, timber and forestry and warehousing.

With a commitment to product quality and performance, you can be assured of professional results every time when using any of the products from the Dy-Mark® range.



## QUALITY

We have a state of the art manufacturing facility in Brisbane. We source quality materials and work with reputable suppliers to produce products that meet standards before reaching the market.



## INNOVATION

Our Product Development team is committed to constantly innovating and researching. Our products are developed and tested in Dy-Mark's NATA accredited laboratory, where we ensure our products are compliant with Australian and Global requirements and standards.



## SERVICE

Our friendly customer service team are dedicated to listening and providing solutions to any request. Offering customers comprehensive and seamless communication through email, phone, social media or via a Dy-Mark Sales Representative. You can be sure to expect the highest level of customer service from the team at Dy-Mark.



## INTEGRITY

For over 50 years we have built strong, positive relationships with both our internal and external stakeholders. We are committed to continuing to exceed our customers expectations and be ethical at all times in everything we do.



# CONTENTS PAGE



## MARKING PRODUCTS 7–38

|                       |    |
|-----------------------|----|
| • Aerosol Paints      | 7  |
| • Bulk Paints         | 16 |
| • Inks & Dyes         | 17 |
| • Stencilling         | 22 |
| • Markers & Crayons   | 26 |
| • Tools & Accessories | 35 |

The Dy-Mark marking range provides high quality products that offer industry users a professional finish for both permanent and temporary markings.



## METAL PROTECTION & FLOOR COATINGS 40–49

|                         |    |
|-------------------------|----|
| • Metal Protection      | 40 |
| • Floor Coatings        | 48 |
| • Tools and Accessories | 49 |

The protective and decorative coatings range offers products that deliver constant protection for a wide range of surfaces from the environmental effects of dirt, stains, corrosion and rust.



## MAINTENANCE 52–59

|                                 |    |
|---------------------------------|----|
| • Aerosol Cleaners & Lubricants | 52 |
| • Cleaning Solvents             | 59 |

The Dy-Mark maintenance range offers a selection of cleaners and lubricants to fight against the harshest of elements.  
The newest addition to this range are the Dy-Mark PROTECH cleaners & lubricants.



## INDUSTRIAL PACKAGING 61–65

|             |    |
|-------------|----|
| • Tape      | 61 |
| • Strapping | 62 |
| • Wrapping  | 65 |

The Dy-Mark packaging range offers quality products that provide a highly cost-effective solution for any taping, strapping or wrapping despatch job, with reliable stock supplies and fast service.

## PERSONAL INSECT REPELLENT 68–71

|                                    |    |
|------------------------------------|----|
| • Personal Protection Range        | 68 |
| • Outdoor Protection               | 69 |
| • Insect Killers - Home Protection | 70 |



# MARKING PRODUCTS

## Aerosol Paints

|                            |    |
|----------------------------|----|
| Spray & Mark               | 7  |
| Spray & Mark Water-Based   | 7  |
| Spray Ink                  | 8  |
| Spray Writer               | 9  |
| Steadfast Stock Mark       | 9  |
| Line Marking Paint         | 10 |
| Line Marking Professional  | 11 |
| Turf Master                | 12 |
| Landscape Chalk            | 13 |
| Mine Marking               | 14 |
| Mine Marking Non-Flammable | 15 |

## Bulk Paint

|                                    |    |
|------------------------------------|----|
| Line Marking Paint – Solvent-Based | 16 |
| Line Marking Paint – Water-Based   | 16 |

## Inks & Dyes

|                                |    |
|--------------------------------|----|
| Stencil Ink RIO200             | 17 |
| Industrial Refillable Ink P200 | 17 |
| Timber Brander Ink R600        | 17 |
| Stress Grading Ink WB800       | 18 |
| Stress Grading Ink WB900       | 18 |
| Ballmarker Refill Ink T400     | 19 |
| Ballmarker Refill Ink PB80     | 19 |
| Engineers Layout Ink (LOS)     | 19 |
| Flawchek System                | 20 |
| Rock Coding Ink                | 21 |
| Spray Marker Dye               | 21 |

## Stencilling

|                                  |    |
|----------------------------------|----|
| Car Park Stencil Kit             | 22 |
| Poly Safety Stencils             | 22 |
| Zinc Stencil Sets                | 23 |
| Brass Interlocking Stencils      | 23 |
| Stencil Roller OS                | 24 |
| Stencil Roller OS Twin Pack      | 24 |
| Stencil Roller OS Cartridges     | 24 |
| Stencil Roller RIO & Ink Pad 350 | 25 |
| Timber Brander DM100             | 25 |

## Markers & Crayons

|                                   |    |
|-----------------------------------|----|
| Industrial Marker D10             | 26 |
| Industrial Refillable Ballmarker  | 26 |
| Ink Marker i70                    | 27 |
| Ink Marker i90                    | 27 |
| Ink Marker iFine                  | 27 |
| Paint Marker P10                  | 28 |
| Paint Marker P20                  | 28 |
| Artline® Marker 70                | 29 |
| Artline® Marker 90                | 29 |
| Artline® Marker 100               | 29 |
| Artline® Marker 400XF             | 29 |
| Ideal Marker                      | 29 |
| Maruzen Marker                    | 30 |
| Mark-Tex Texpen®                  | 30 |
| Trades-Marker®                    | 30 |
| Leviathan® Industrial Crayons     | 31 |
| Leviathan® Lumber Crayons         | 31 |
| Markal® Paintstik® K              | 32 |
| Markal® Paintstik® H              | 32 |
| Markal® Paintstik® B-L            | 32 |
| Markal® Paintstik® P              | 32 |
| Markal® Paintstik® B              | 32 |
| Engineering Chalk                 | 33 |
| Leviathan White Chalk Block       | 33 |
| Markers & Crayons Reference Guide | 34 |



## Tools & Accessories

|                             |    |
|-----------------------------|----|
| 2-Wheel Spot Marking Handle | 35 |
| Long Arm Handle             | 35 |
| Measuring Wheel             | 36 |
| Survey/Flagging Pins        | 36 |
| Survey/Flagging Tape        | 36 |
| Line Master                 | 37 |
| Mine Marking® Handle        | 38 |



Aerosol Paints

# Premium Marking *High Visibility*



# SPRAY & MARK

## Marking Out Paint

350g | Qty 12

### Features & Benefits

- Premium marking out paint
- Toluene-free formula
- Designed for inverted use
- High opacity, high quality, true colour pigment loading
- Bright colour range for highly visible marks
- Applications include: construction, landscaping, civil works and surveying
- Unique spray pattern specifically designed for spot marking as well as "writing" applications
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle
- Spray & Mark Holsters also available to provide easy access to your marking paint



Inverted Spray (Trigger Cap)

### Spray & Mark (Inverted Spray)

|  |                     |          |
|--|---------------------|----------|
|  | Spray & Mark Black  | 40013501 |
|  | Spray & Mark Grey   | 40013513 |
|  | Spray & Mark Red    | 40013502 |
|  | Spray & Mark Blue   | 40013503 |
|  | Spray & Mark Green  | 40013504 |
|  | Spray & Mark Yellow | 40013505 |
|  | Spray & Mark Orange | 40013506 |
|  | Spray & Mark White  | 40013511 |
|  | Spray & Mark Violet | 40013558 |

### Spray & Mark (Fluoro) (Inverted Spray)

|  |                            |          |
|--|----------------------------|----------|
|  | Spray & Mark Fluoro Red    | 40013522 |
|  | Spray & Mark Fluoro Blue   | 40013523 |
|  | Spray & Mark Fluoro Green  | 40013524 |
|  | Spray & Mark Fluoro Yellow | 40013525 |
|  | Spray & Mark Fluoro Orange | 40013526 |
|  | Spray & Mark Fluoro Violet | 40013528 |
|  | Spray & Mark Fluoro Pink   | 40013529 |

### Spray & Mark Holster

|  |                      |          |
|--|----------------------|----------|
|  | Spray & Mark Holster | 22010165 |
|--|----------------------|----------|



#### Suitable Surfaces

Concrete, bitumen, rock, steel, timber and general broken ground



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

5 minutes at 25°C



#### Ideal Application Temperature

Between 5°C and 40°C



Long Arm Handle

2-Wheel Spot Marking Handle

**HANDY TIP**

*Spray & Mark aerosols are suitable for use with the Dy-Mark Long Arm Handle and Dy-Mark 2-Wheel Spot Marking Handle.*

(See page 35)


# SPRAY & MARK WATER-BASED

## Marking Out Paint

350g | Qty 12

### Features & Benefits

- Low odour, lower toxicity
- Bright colour range for highly visible marks
- Toluene and Xylene free formula
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle
- 360° valve for any angle application



Upright/Inverted Spray (Trigger Cap)

### Spray & Mark Water-Based (Upright/Inverted Spray)

|  |                         |          |
|--|-------------------------|----------|
|  | Spray & Mark W-B Blue   | 40063503 |
|  | Spray & Mark W-B Yellow | 40063505 |
|  | Spray & Mark W-B White  | 40063511 |

### Spray & Mark Water-Based (Fluoro) (Upright/Inverted Spray)

|  |                                |          |
|--|--------------------------------|----------|
|  | Spray & Mark W-B Fluoro Green  | 40063524 |
|  | Spray & Mark W-B Fluoro Orange | 40063526 |
|  | Spray & Mark W-B Fluoro Pink   | 40063529 |



#### Suitable Surfaces

Concrete, bitumen, steel, timber, polystyrene foam and grass



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

5 minutes at 25°C



#### Ideal Application Temperature

Between 5°C and 40°C





## Aerosol Paints



# SPRAY INK

Stencil Paint | 315g | Qty 12

### Features & Benefits

- Specially formulated for stencil applications
- Toluene-free formula
- Unique formulation minimises build-up when used on stencils
- Fast drying and fade resistant paint



#### Suitable Surfaces

All surfaces



#### Coverage

Approximately 3 sqm per aerosol can (depending on the surface and colour used)



#### Drying Time

10 minutes at 25°C



#### Ideal Application Temperature

Between 10°C and 40°C

### Spray Ink (Horizontal Spray)

|  |                           |          |
|--|---------------------------|----------|
|  | Spray Ink Black           | 39013501 |
|  | Spray Ink Red             | 39013502 |
|  | Spray Ink Blue            | 39013503 |
|  | Spray Ink Green           | 39013504 |
|  | Spray Ink Yellow          | 39013505 |
|  | Spray Ink Orange          | 39013506 |
|  | Spray Ink White           | 39013511 |
|  | Spray Ink Covers Over Tan | 39013514 |



Horizontal Spray

### PRODUCT TIP

To obtain an even coat of paint, sweep the can horizontally past the object as you spray. Don't point and shoot, as this will cause an uneven build up of paint on the object. Always apply light coats rather than one heavy coat in order to achieve a uniform finish.

### HANDY TIP

*Spray Ink can be used with our Zinc Stencil and Brass Interlocking Stencil sets.*

See page 23 for more information.



Zinc Stencils



Brass Interlocking Stencils





## SPRAY WRITER



### Forestry & Plantation Marking Paint 350g | Qty 12

#### Features & Benefits

- Reduced toxicity marking paint with low odour
- Toluene-free formula
- Ideal for all natural and cut timber applications
- Will mark wet surfaces without cracking and peeling
- Unique formulation reduces spray drift allowing maximum accuracy of spray pattern
- Ideal for the forestry and timber processing industries
- 360° valve for any angle application



**Suitable Surfaces**  
Natural and cut timber, concrete, masonry, bitumen



**Coverage**  
Approximately 2 sqm per aerosol can (depending on surface and colour used)



**Drying Time**  
10 minutes at 25°C



**Ideal Application Temperature**  
Between 10°C and 40°C



Horizontal Spray

#### Spray Writer (Horizontal Spray)

|  |                     |          |
|--|---------------------|----------|
|  | Spray Writer Black  | 37023501 |
|  | Spray Writer Red    | 37023502 |
|  | Spray Writer Blue   | 37023503 |
|  | Spray Writer Green  | 37023504 |
|  | Spray Writer Yellow | 37023505 |
|  | Spray Writer Orange | 37023506 |
|  | Spray Writer Violet | 37023508 |
|  | Spray Writer White  | 37023511 |

#### Spray Writer® (Fluoro) (Horizontal Spray)

|  |               |          |
|--|---------------|----------|
|  | Fluoro Red    | 37023522 |
|  | Fluoro Blue   | 37023523 |
|  | Fluoro Green  | 37023524 |
|  | Fluoro Yellow | 37023525 |
|  | Fluoro Orange | 37023526 |
|  | Fluoro Pink   | 37023529 |

## STEADFAST STOCK MARK



### 325g | Qty 12

#### Features & Benefits

- Long lasting marker
- Ideal for identifying stock by colour coding
- Fully scourable



**Suitable Surfaces**  
Wool



**Drying Time**  
10 minutes at 25°C



**Coverage**  
Will produce 300–400 marks per aerosol can



**Ideal Application Temperature**  
Between 10°C and 40°C

#### Steadfast Stock Mark (Horizontal Spray)

|  |                             |          |
|--|-----------------------------|----------|
|  | Steadfast Stock Mark Red    | 32SB1702 |
|  | Steadfast Stock Mark Blue   | 32SB1703 |
|  | Steadfast Stock Mark Green  | 32SB1704 |
|  | Steadfast Stock Mark Orange | 32SB1706 |
|  | Steadfast Stock Mark Violet | 32SB1708 |



Horizontal Spray



## Aerosol Paints



# LINE MARKING PAINT

**Durable Line Marking Paint | 500g | Qty 12**

### Features & Benefits

- A fast drying toluene-free formula acrylic paint
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts
- Specially formulated to provide long lasting lines
- Designed for use with the Dy-Mark Line Master (See page 37)



#### Suitable Surfaces

Concrete, bitumen, grass, soil, timber



#### Coverage

80–100 metres of line per aerosol can (depending on line width)



#### Drying Time

10 minutes at 25°C



#### Ideal Application Temperature

Between 10°C and 40°C

### Line Marking Paint (Inverted Spray)

|  |                         |          |
|--|-------------------------|----------|
|  | Line Marking Matt Black | 41015001 |
|  | Line Marking Red        | 41015002 |
|  | Line Marking Blue       | 41015003 |
|  | Line Marking Green      | 41015004 |
|  | Line Marking Yellow     | 41015005 |
|  | Line Marking Orange     | 41015006 |
|  | Line Marking White      | 41015011 |
|  | Line Marking Grey       | 41015013 |

### Line & Hand Marking Paint (Inverted Spray)

|  |                            |          |
|--|----------------------------|----------|
|  | Line & Hand Marking White  | 41035011 |
|  | Line & Hand Marking Yellow | 41035035 |




Inverted Spray

**WATCH THE VIDEO ON** | **You Tube**







# LINE MARKING PROFESSIONAL

Premium Line Marking Paint | 500g | Qty 12

### Features & Benefits

- Fast drying, epoxy based formula
- Added UV stabiliser
- High wear resistance
- Excellent adhesion
- Crisp sharp lines
- Designed for use with the Dy-Mark Line Master (See page 37)

\* Lasts up to 3X longer than standard acrylic based line marking paints



#### Suitable Surfaces

Concrete, bitumen, timber



#### Coverage

80–100 metres of line  
per aerosol can  
(depending on line width)



#### Drying Time



Touch dry 15–20 minutes (25°C)  
Recoat within approx. 1 hour.  
Hard dry in 4 hours.  
Vehicular traffic in 16–24 hours.



#### Ideal Application Temperature

Between 10°C and 40°C

### Line Marking Professional (Inverted Spray)

|   |                                  |          |
|---|----------------------------------|----------|
|  | Line Marking Professional Yellow | 41025005 |
|  | Line Marking Professional White  | 41025011 |



Inverted Spray



## TURF MASTER

Temporary Grass Marking Paint | 500g | Qty 12

### Features & Benefits

- Ideal for landscaping and sporting grounds
- Quick dry, toluene-free formula
- Low toxicity formula does not damage grass
- Designed for use with the Dy-Mark Line Master (See page 37)



**Suitable Surfaces**  
Grass



**Coverage**  
80–100 metres of line  
per aerosol can  
(depending on line width)



**Drying Time**  
10 minutes at 25°C




**Ideal Application Temperature**  
Between 10°C and 40°C

### Turf Master (Inverted Spray)

|                   |          |
|-------------------|----------|
| Turf Master White | 41125011 |
|-------------------|----------|



Inverted Spray



**HANDY TIP**



Use Line Marking Paint, Line Marking Professional and Turf Master Paint with the Dy-Mark Line Master for precise and clear lines.  
See page 37 for more information.





## LANDSCAPE CHALK

Temporary Marking Chalk | 350g | Qty 12

### Features & Benefits

- Ideal for surveying sites, golf courses, excavation and construction sites
- Fast-dry formula lasting up to 30 days
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle (See page 35)



#### Suitable Surfaces

Concrete, bitumen, rock, grass and general broken ground



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

10 minutes at 25°C



#### Ideal Application Temperature

Between 5°C and 40°C

### Landscape Chalk (Inverted Spray)

|   |                        |          |
|---|------------------------|----------|
|  | Landscape Chalk Yellow | 23183505 |
|  | Landscape Chalk White  | 23183511 |



Inverted Spray (Trigger Cap)

### HANDY TIP

Use Landscape Chalk with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle. (See page 35)





## MINE MARKING

### Marking Out Paint | 350g | Qty 12

#### Features & Benefits

- Specially formulated for above/below ground areas
- High opacity, high quality, true colour pigment loading
- 360° valve for any angle application
- Applications include marking out ore zones in grading control, pit walls and survey grid layouts
- Highly visible marks on dark surfaces
- Two nozzle options available for vertical spray (upright/inverted) or horizontal spray application
- Vertical spray is suitable for use with the Dy-Mark Mine Marking Handle (5m extension) (See page 38)



#### Suitable Surfaces

Rock, dirt, gravel



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

3 minutes at 25°C



#### Ideal Application Temperature


Between -10°C and 40°C

#### Two nozzle options available:



Horizontal Spray

or



Vertical Spray - Upright/Inverted (Trigger Cap)

#### Mine Marking (Horizontal Spray)

|  |                          |          |
|--|--------------------------|----------|
|  | Mine Marking Horz Black  | 38013501 |
|  | Mine Marking Horz Red    | 38013502 |
|  | Mine Marking Horz Blue   | 38013503 |
|  | Mine Marking Horz Green  | 38013504 |
|  | Mine Marking Horz Yellow | 38013505 |
|  | Mine Marking Horz Orange | 38013506 |
|  | Mine Marking Horz White  | 38013511 |

#### Mine Marking (Vertical Spray - Upright/Inverted)

|  |                          |          |
|--|--------------------------|----------|
|  | Mine Marking Vert Black  | 38033501 |
|  | Mine Marking Vert Red    | 38033502 |
|  | Mine Marking Vert Blue   | 38033503 |
|  | Mine Marking Vert Green  | 38033504 |
|  | Mine Marking Vert Yellow | 38033505 |
|  | Mine Marking Vert Orange | 38033506 |
|  | Mine Marking Vert White  | 38033511 |

#### Mine Marking (Fluoro) (Horizontal Spray)

|  |                                 |          |
|--|---------------------------------|----------|
|  | Mine Marking Horz Fluoro Red    | 38013522 |
|  | Mine Marking Horz Fluoro Blue   | 38013523 |
|  | Mine Marking Horz Fluoro Green  | 38013524 |
|  | Mine Marking Horz Fluoro Yellow | 38013525 |
|  | Mine Marking Horz Fluoro Orange | 38013526 |
|  | Mine Marking Horz Fluoro Pink   | 38013529 |

#### Mine Marking (Fluoro) (Vertical Spray - Upright/Inverted)

|  |                                 |          |
|--|---------------------------------|----------|
|  | Mine Marking Vert Fluoro Red    | 38033522 |
|  | Mine Marking Vert Fluoro Blue   | 38033523 |
|  | Mine Marking Vert Fluoro Green  | 38033524 |
|  | Mine Marking Vert Fluoro Yellow | 38033525 |
|  | Mine Marking Vert Fluoro Orange | 38033526 |
|  | Mine Marking Vert Fluoro Pink   | 38033529 |





## Aerosol Paints



# MINE MARKING NON-FLAMMABLE

## Marking Out Paint | 400g | Qty 12

### Features & Benefits

- Non-Flammable layout marker
- Formulated for use in underground mines and other fire sensitive situations
- 360° valve for any angle application
- Bright, highly visible marks on dark surfaces
- Two nozzle options available for vertical spray (upright/inverted) or horizontal spray application
- Vertical spray is suitable for use with Dy-Mark Mine Marking Handle (5m extension) (See page 38)



#### Suitable Surfaces

Rock, dirt, gravel



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

5 minutes at 25°C



#### Ideal Application Temperature

Between -10°C and 40°C

### HANDY TIP

Use Mine Marking and Mine Marking Non-Flammable with the Dy-Mark Mine Marking Handle to mark underground mine ceilings.

### Mine Marking Non-Flammable (Horizontal Spray)

|  |                             |          |
|--|-----------------------------|----------|
|  | Mine Marking NF Horz Red    | 38023502 |
|  | Mine Marking NF Horz Yellow | 38023505 |
|  | Mine Marking NF Horz Orange | 38023506 |
|  | Mine Marking NF Horz White  | 38023511 |

### Mine Marking Non-Flammable (Vertical Spray - Upright/Inverted)

|  |                             |          |
|--|-----------------------------|----------|
|  | Mine Marking NF Vert Red    | 38043502 |
|  | Mine Marking NF Vert Yellow | 38043505 |
|  | Mine Marking NF Vert Orange | 38043506 |
|  | Mine Marking NF Vert White  | 38043511 |

### Mine Marking Non-Flammable (Fluoro) (Horizontal Spray)

|  |                                    |          |
|--|------------------------------------|----------|
|  | Mine Marking NF Horz Fluoro Red    | 38023522 |
|  | Mine Marking NF Horz Fluoro Orange | 38023526 |
|  | Mine Marking NF Horz Fluoro Pink   | 38023529 |

### Mine Marking Non-Flammable (Fluoro) (Vertical Spray - Upright/Inverted)

|  |                                    |          |
|--|------------------------------------|----------|
|  | Mine Marking NF Vert Fluoro Red    | 38043522 |
|  | Mine Marking NF Vert Fluoro Orange | 38043526 |
|  | Mine Marking NF Vert Fluoro Pink   | 38043529 |

Dy-Mark Mine Marking Handle will extend up to 5 metres.

See page 38 for more information.

**Note:** For use with Upright/Inverted spray nozzle only (trigger cap).





## LINE MARKING PAINT – SOLVENT-BASED



4L, 20L

### Features & Benefits

- A fast drying chlorinated rubber modified-alkyd paint designed for application over asphalt, tar-sealed and concrete surfaces
- Specially formulated to provide long lasting lines
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts



#### Suitable Surfaces

Asphalt, concrete and tar-sealed surfaces



#### Coverage

2.5 sqm per litre



#### Drying Time

Touch dry in 5 minutes at 25°C.  
Recoat after 2 hours at 25°C.



#### Ideal Application Temperature

Between 10°C and 40°C

### Line Marking Paint – Solvent-Based

|  |                           |     |          |
|--|---------------------------|-----|----------|
|  | Line Marking Black        | 4L  | 41010401 |
|  | Line Marking Red          | 4L  | 41010402 |
|  | Line Marking Disable Blue | 4L  | 41010403 |
|  | Line Marking Green        | 4L  | 41010404 |
|  | Line Marking Yellow       | 4L  | 41010405 |
|  | Line Marking White        | 4L  | 41010411 |
|  | Line Marking Black        | 20L | 41012001 |
|  | Line Marking Red          | 20L | 41012002 |
|  | Line Marking Disable Blue | 20L | 41012003 |
|  | Line Marking Green        | 20L | 41012004 |
|  | Line Marking Yellow       | 20L | 41012005 |
|  | Line Marking Orange       | 20L | 41012006 |
|  | Line Marking White        | 20L | 41012011 |
|  | Line Marking Grey         | 20L | 41012013 |

### Oval Marking Paint

|  |                          |     |          |
|--|--------------------------|-----|----------|
|  | Oval Marking Paint Black | 15L | 41011601 |
|  | Oval Marking Paint Red   | 15L | 41011602 |
|  | Oval Marking Paint White | 15L | 41011611 |

## LINE MARKING PAINT – WATER-BASED



15L

### Features & Benefits

- A fast drying water-based environmentally friendly acrylic paint
- Specially formulated to provide long lasting lines
- Low VOC formula

### Line Marking Paint – Water-Based

|  |                         |     |          |
|--|-------------------------|-----|----------|
|  | Line Marking W-B Black  | 15L | 41011501 |
|  | Line Marking W-B Red    | 15L | 41011502 |
|  | Line Marking W-B Yellow | 15L | 41011505 |
|  | Line Marking W-B White  | 15L | 41011511 |



#### Suitable Surfaces

Concrete, bitumen



#### Coverage

2.5 sqm per litre



#### Drying Time

Touch dry in 5 minutes at 25°C.  
Recoat in 1 hour at 25°C.



#### Ideal Application Temperature

Between 10°C and 40°C

### Line Marking Accessories

|  |                        |          |
|--|------------------------|----------|
|  | Reflective Glass Beads | 41822500 |
|--|------------------------|----------|



## STENCIL ROLLER INK RIO200



**1L, 20L**

### Features & Benefits

- Ideal for use when stencilling on both porous and non-porous surfaces
- Highly durable with excellent light fastness
- For use with Stencil Roller RIO and Ink Pad 350 (See page 25)

### Stencil Roller Ink RIO200

|  |              |     |          |
|--|--------------|-----|----------|
|   | RIO200 Black | 1L  | 13020101 |
|   | RIO200 Red   | 1L  | 13020102 |
|   | RIO200 Blue  | 1L  | 13020103 |
|   | RIO200 Green | 1L  | 13020104 |
|   | RIO200 Black | 20L | 13022001 |
|   | RIO200 Red   | 20L | 13022002 |
|  | RIO200 Blue  | 20L | 13022003 |

## INDUSTRIAL REFILLABLE INK P200



**1L**

### Features & Benefits

- Permanent ink
- Ideal for use on porous and non-porous surfaces
- For refillable marking pens

### Industrial Refillable Ink P200

|   |                |    |          |
|---|----------------|----|----------|
|  | P200 Ink Black | 1L | 10120101 |
|  | P200 Ink Red   | 1L | 10120102 |
|  | P200 Ink Blue  | 1L | 10120103 |

## TIMBER BRANDER INK R600








**1L, 20L**

### Features & Benefits

- Dye-based, general purpose ink designed for marking porous surfaces such as timber and cardboard
- UV resistant
- Suitable for use with Timber Brander such as the DM100, (see page 25)

### Timber Brander Ink R600

|   |            |     |          |
|---|------------|-----|----------|
|  | R600 Black | 1L  | 13060101 |
|  | R600 Red   | 1L  | 13060102 |
|  | R600 Green | 1L  | 13060104 |
|  | R600 Black | 20L | 13062001 |
|  | R600 Red   | 20L | 13062002 |

## STRESS GRADING INK WB800



**10L, 20L**

### Feature & Benefits

- Used for coding stress-graded timber
- Fade resistant formula
- Suitable for use with automatic stress-grading machines and green chain branders

### Stress Grading Ink WB800

|  |              |     |          |
|--|--------------|-----|----------|
|   | WB800 Black  | 10L | 14081001 |
|   | WB800 Red    | 10L | 14081002 |
|   | WB800 Green  | 10L | 14081004 |
|   | WB800 Black  | 20L | 14082001 |
|   | WB800 Red    | 20L | 14082002 |
|   | WB800 Green  | 20L | 14082004 |
|   | WB800 Violet | 20L | 14082008 |
|  | WB800 Grey   | 20L | 14082013 |

## STRESS GRADING INK WB900



**10L, 20L**

### Feature & Benefits

- Used for coding stress-graded timber
- Fade resistant, concentrated formula
- Suitable for use with automatic stress-grading machines and green chain branders

### Stress Grading Ink WB900

|   |              |     |          |
|---|--------------|-----|----------|
|  | WB900 Red    | 10L | 14091002 |
|  | WB900 Violet | 10L | 14091008 |
|  | WB900 Blue   | 20L | 14092003 |



## BALLMARKER REFILL INK T400










1L, 20L

### Features & Benefits

- T400 Ink will mark on any surface, penetrating grease, oil and rust
- Opaque, waterproof and fade resistant ink
- Extremely durable in all environmental conditions

### Ballmarker Refill Ink T400

|   |             |     |          |
|---|-------------|-----|----------|
|    | T400 Black  | 1L  | 11010101 |
|    | T400 Red    | 1L  | 11010102 |
|    | T400 Blue   | 1L  | 11010103 |
|    | T400 Green  | 1L  | 11010104 |
|    | T400 Yellow | 1L  | 11010105 |
|    | T400 White  | 1L  | 11010111 |
|    | T400 Black  | 20L | 11012001 |
|  | T400 Blue   | 20L | 11012003 |
|  | T400 Yellow | 20L | 11012005 |
|  | T400 White  | 20L | 11012011 |

## BALLMARKER REFILL INK PB80




1L

### Features & Benefits

- Specially formulated to be removable by the pickling process (ensuring no bleed through during the galvanising process)
- Opaque, waterproof and fade resistant ink

### Ballmarker Refill Ink PB80

|   |            |    |          |
|---|------------|----|----------|
|  | PB80 White | 1L | 11800111 |
|---|------------|----|----------|

Use Ballmarker Refill  
with Industrial  
Refillable Ballmarker.

(See page 26 for more information).



## ENGINEERS LAYOUT INK (LOS)





1L | Qty 10

### Feature & Benefits

- Ideal for marking on hard surfaces such as metal and glass
- The ideal product for tool and die makers, machinists, pattern makers, sheet metal workers and maintenance mechanics

### Engineers Layout Ink

|   |                           |    |          |
|---|---------------------------|----|----------|
|  | Engineers Layout Ink Red  | 1L | 24010102 |
|  | Engineers Layout Ink Blue | 1L | 24010103 |





# FLAWCHEK SYSTEM



## Four-part visible “Crack Detection” inspection process

### Features & Benefits

- Dye penetration visible inspection system that detects cracks and flaws in metals and castings
- 4-step system – Preclean, Penetrant, Remover and Developer
- Fast, efficient and cost effective method
- Conforms to AS2062 TYPE 2 METHOD C

Flawchek “Crack Detection” System Kit



### Flawchek “Crack Detection” System

|       |                           |      |          |
|-------|---------------------------|------|----------|
| Grey  | Flawchek Step 1 Preclean  | 270g | 19013501 |
| Red   | Flawchek Step 2 Penetrant | 350g | 19013502 |
| Blue  | Flawchek Step 3 Remover   | 350g | 19013503 |
| White | Flawchek Step 4 Developer | 350g | 19013504 |

### Flawchek “Crack Detection” System Kit

|                        |                                |     |          |
|------------------------|--------------------------------|-----|----------|
| Grey, Red, Blue, White | Flawchek 4-part Inspection Kit | Box | 19013599 |
|------------------------|--------------------------------|-----|----------|

### RECOMMENDED DIRECTIONS FOR USE

#### Step 1 – Preclean (Grey)

It is essential to ensure that the part/area to be tested is clean, dry and free from all surfaces contamination (e.g. grease, oil, rust and paint). Surface contaminants can cover a flaw, inhibiting the entrance of the dye. Spray the area to be inspected and wipe thoroughly with cloth. Allow clean surface to dry.

#### Step 2 – Penetrant (Red)

Spray Penetrant Dye over the area that is to be inspected. Allow penetrant to dwell for 10 minutes. Dwell time should be extended in extremely cold conditions.

#### Step 3 – Remover (Blue)

Allow excess Penetrant to drain. Wipe over inspected surface with a dry cloth. Then spray Remover on another cloth and wipe surface to remove excess Penetrant. Allow surface to dry before using Developer.

#### Step 4 – Developer (White)

Spray a light coat of the Developer over the area to be inspected, avoiding a heavy film. Leave Developer to dry and inspect parts for flaws after 2 – 3 minutes. If very fine flaws are suspected, the parts should be re-inspected after 20 minutes.

*The Flawchek system is a method of non-destructive testing which will detect flaws on metal surfaces*

*Note: These recommendations are based on tests conducted in normal conditions. Actual conditions of use are beyond Dy-Mark's control and recommendations are made without warranty.*





## ROCK CODING INK



20L

### Features & Benefits

- Low VOC
- Ideal for identifying different grades of metal ore content prior to blasting
- Water-based formula that provides "bright" highly visible marks
- Non-permanent marks that will last up to 1 week outdoors
- Suitable for use in knapsack sprayers and with the airless spray method

### Rock Coding Ink

|                        |     |          |
|------------------------|-----|----------|
| Rock Coding Ink Red    | 20L | 32402002 |
| Rock Coding Ink Blue   | 20L | 32402003 |
| Rock Coding Ink Green  | 20L | 32402004 |
| Rock Coding Ink Violet | 20L | 32402008 |
| Rock Coding Ink White  | 20L | 32402011 |

### Rock Coding Ink (Fluoro)

|                               |     |          |
|-------------------------------|-----|----------|
| Rock Coding Ink Fluoro Blue   | 20L | 32402023 |
| Rock Coding Ink Fluoro Yellow | 20L | 32402025 |
| Rock Coding Ink Fluoro Orange | 20L | 32402026 |
| Rock Coding Ink Fluoro Pink   | 20L | 32402029 |

## SPRAY MARKER DYE



500ml, 1L, 5L, 20L

### Features & Benefits


- Premium, highly visible dye
- Stains target crops and plants allowing easy identification of sprayed areas
- Designed to be mixed with other chemical spray solutions (herbicides and pesticides)
- Prevents over-spraying and minimises the wastage of costly chemicals
- Colour fades in 3 to 5 days in sunlight and can be used in hand or knapsack sprayers, high volume sprayers or boom sprays

### Spray Marker Dye

|                      |       |          |
|----------------------|-------|----------|
| Spray Marker Dye Red | 500ml | 18005002 |
| Spray Marker Dye Red | 1L    | 18000102 |
| Spray Marker Dye Red | 5L    | 18000502 |
| Spray Marker Dye Red | 20L   | 18002002 |



## CAR PARK STENCIL KIT



### Features & Benefits

- Ideal for marking out applications in service areas, car parks, hospitals, warehouses, shopping centres and recreation areas
- Long-lasting and reusable stencils in heavy duty polypropylene material
- Apply stencil using Line Marking Paint and Line Master removable handle or by rolling or spraying (See pages 10 & 37)
- 11 piece kit

### Car Park Stencil Kit

|                           |          |
|---------------------------|----------|
| Poly Car Park Stencil Kit | 13320003 |
|---------------------------|----------|



## POLY SAFETY STENCILS



### Features & Benefits

- Long lasting and hardwearing poly stencils with background (445mm x 445mm)
- Suitable for use with Dy-Mark Spray Ink, Line Marking Paint and Stencil Applicators (See pages 8, 10 & 24)

### Safety Stencils

|                                 |          |
|---------------------------------|----------|
| Stencil No Smoking              | 13980102 |
| Stencil Forklift Traffic Area   | 13980103 |
| Stencil Watch Out For Forklifts | 13980104 |
| Stencil Up Arrow                | 13980105 |
| Stencil Exit Arrow              | 13980106 |
| Stencil Ear Protection Area     | 13980107 |
| Stencil Stop Sign               | 13980108 |
| Stencil Pedestrian Traffic Only | 13980109 |
| Stencil Slippery When Wet       | 13980110 |
| Stencil Watch Your Step         | 13980111 |
| Stencil Eye Protection Area     | 13980112 |

### HANDY TIP

*Dy-Mark Spray Ink, Line Marking Paint and Stencil Applicators are designed to be used with our Safety Stencils.*  
(See pages 8, 10 & 24)



Spray Ink



Line Marking Paint



Stencil Applicators





## ZINC STENCIL SETS

### Features & Benefits

- Easy to clean and re-usable solvent resistant zinc material
- Available in A–Z and 0–9



### Zinc Stencil Sets (A–Z)

|                        |          |
|------------------------|----------|
| Zinc Stencil A–Z 50mm  | 13810150 |
| Zinc Stencil A–Z 75mm  | 13810175 |
| Zinc Stencil A–Z 100mm | 13811100 |
| Zinc Stencil A–Z 125mm | 13811125 |
| Zinc Stencil A–Z 150mm | 13811150 |
| Zinc Stencil A–Z 175mm | 13811175 |

### Zinc Stencil Sets (0–9)

|                         |          |
|-------------------------|----------|
| Zinc Stencil 0–9 12.5mm | 13800112 |
| Zinc Stencil 0–9 25mm   | 13800125 |
| Zinc Stencil 0–9 38mm   | 13800138 |
| Zinc Stencil 0–9 50mm   | 13800150 |
| Zinc Stencil 0–9 64mm   | 13800164 |
| Zinc Stencil 0–9 75mm   | 13800175 |
| Zinc Stencil 0–9 100mm  | 13801100 |
| Zinc Stencil 0–9 150mm  | 13801150 |
| Zinc Stencil 0–9 175mm  | 13801175 |
| Zinc Stencil 0–9 200mm  | 13801200 |

## BRASS INTERLOCKING STENCILS



### Features & Benefits

- Convenient, heavy-duty interlocking stencils
- Ideal for jobs where wording changes frequently
- Available in A – Z and 0 – 9

### Brass Interlocking Stencil Sets (A–Z)

|                                |          |
|--------------------------------|----------|
| Interlocking Stencil A–Z 25mm  | 13711025 |
| Interlocking Stencil A–Z 50mm  | 13711050 |
| Interlocking Stencil A–Z 75mm  | 13711075 |
| Interlocking Stencil A–Z 100mm | 13711100 |
| Interlocking Stencil A–Z 125mm | 13711125 |
| Interlocking Stencil A–Z 150mm | 13711150 |

### Brass Interlocking Stencil Sets (0–9)

|                                |          |
|--------------------------------|----------|
| Interlocking Stencil 0–9 25mm  | 13700025 |
| Interlocking Stencil 0–9 50mm  | 13700050 |
| Interlocking Stencil 0–9 75mm  | 13700075 |
| Interlocking Stencil 0–9 100mm | 13701100 |
| Interlocking Stencil 0–9 125mm | 13701125 |
| Interlocking Stencil 0–9 150mm | 13701150 |







## STENCIL ROLLER OS



### Features & Benefits

- Economical, flexible, portable and convenient method of applying stencils to any surface
- Features central ink feed and disposable ink cartridge handle
- Use with Stencil Roller OS Cartridges
- No liquid ink filling required
- The Ink saturation is controlled by a valve in the assembly
- Simply attach a new cartridge when you run out of ink

### Stencil Roller OS

|  |  |          |
|--|--|----------|
|   | Stencil Roller OS 75mm Starter Pack (includes 1 cartridge) | 15010175 |
|  | Stencil Roller OS 75mm Kit (includes 8 cartridges)         | 15010800 |


## STENCIL ROLLER OS TWIN PACK



### Features & Benefits

- Replacement durable neoprene roller
- Use with Stencil Roller OS

### Stencil Roller OS Twin Pack

|   |                                |          |
|---|--------------------------------|----------|
|  | Repl. Roller 75mm OS Twin Pack | 15010002 |
|---|--------------------------------|----------|

## STENCIL ROLLER OS CARTRIDGES



### Features & Benefits

- Highly visible colours for porous & non-porous surfaces
- Use on drums, timber, plastic pallets, steel, glass, concrete and cardboard boxes
- Apply with the Stencil Roller OS
- Convenient no mess refill

### Stencil Roller OS Cartridges

|   |                                    |      |          |
|---|------------------------------------|------|----------|
|  | Stencil Roller Cartridges OS Black | PK 8 | 15010101 |
|  | Stencil Roller Cartridges OS Red   | PK 8 | 15010102 |
|  | Stencil Roller Cartridges OS Blue  | PK 8 | 15010103 |
|  | Stencil Roller Cartridges OS White | PK 8 | 15010111 |



## STENCIL ROLLER RIO & INK PAD 350



### Features & Benefits

- Use the Roller pad 350 to ink the roller prior to stencilling
- Ideal for marking on both porous and non-porous surfaces
- No cleaning of roller required
- Use with Stencil Roller Ink RIO200 (See page 17)

### Stencil Roller RIO & Ink Pad 350

|                                 |          |
|---------------------------------|----------|
| ■ Stencil Roller 75mm RIO       | 15020175 |
| ■ Repl. Roller 75mm RIO Twin Pk | 15020002 |
| ■ Roller Pad 350 180mm x 100mm  | 13500012 |



## TIMBER BRANDER DM100



### Features & Benefits

- Designed to mark timber grade, company logo and mill number along lengths and across packs of timber
- Prints your message 100mm wide with repeats every 155mm
- Made from cast aluminium for extra durability and strength
- Use with Timber Brander Ink R600 (See page 17)

### Timber Brander DM100

|                          |          |
|--------------------------|----------|
| ■ Timber Brander DM100   | 14200000 |
| ■ Replacement Felt DM100 | 14200001 |

### Timber Brander Drum

|                       |          |
|-----------------------|----------|
| ■ Timber Brander Drum | 14200100 |
|-----------------------|----------|

Please call for information on custom stereotypes



## INDUSTRIAL MARKERS




### Industrial Marker D10



Reversible Tip | Qty 12

#### Features & Benefits

- Permanent ink marker suitable for surfaces that need an indelible mark
- Fast dry, smear-resistant ink
- Ideal for mining, manufacturing and metal fabrication industries

|   |          |
|---|----------|
| D10 Black   | 12081001 |
|  <b>Pen Dimensions</b><br>135mm x 16mm                     |          |
|  <b>Mark Width</b><br>Chisel Tip – 4mm<br>Bullet Tip – 2mm |          |
|  <b>Contents</b><br>13cc permanent, smear resistant ink    |          |



## INDUSTRIAL REFILLABLE BALLMARKER



#### Features & Benefits

- Permanent and fade resistant marks on surfaces including steel, timber and rubber
- Ink feed controlled by a flexible "squeeze flow" plastic bottle
- Hardened tips ensure economical ink usage
- Bottle (supplied empty) and tip sold separately
- Use with the Dy-Mark T400 or PB80 Ballmarker Refill Ink (See page 19)

#### Industrial Refillable Ballmarker

|                    |          |
|--------------------|----------|
| Ballmarker 4mm Tip | 11040412 |
| Ballmarker 6mm Tip | 11040610 |
| Ballmarker Bottle  | 11090100 |





## Markers & Crayons

# INK MARKERS

## Ink Marker i70



Permanent Ink  
Qty 12

### Features & Benefits

- Acrylic bullet tip with medium point
- Quick drying
- Waterproof marks

|  |           |          |
|--|-----------|----------|
|  | i70 Black | 12131201 |
|  | i70 Red   | 12131202 |
|  | i70 Blue  | 12131203 |



**Pen Dimensions**  
149.5mm



**Mark Width**  
Medium Tip  
0.8mm – 1.8mm



**Contents**  
Quick drying, xylene-free ink



## Ink Marker i90



Permanent Ink  
Qty 12

### Features & Benefits

- Acrylic chisel tip
- Quick drying
- Waterproof marks

|  |           |          |
|--|-----------|----------|
|  | i90 Black | 12141201 |
|  | i90 Red   | 12141202 |



**Pen Dimensions**  
149.5mm



**Mark Width**  
Chisel Tip  
0.5mm – 4.6mm



**Contents**  
Quick drying, xylene-free ink



## Ink Marker iFine



Permanent Ink  
Qty 10

### Features & Benefits

- Marks on most difficult surfaces
- Quick drying, permanent and hard wearing on most surfaces
- Fade and water resistant

|  |             |          |
|--|-------------|----------|
|  | iFine Black | 12151001 |
|  | iFine Red   | 12151002 |
|  | iFine Blue  | 12151003 |



**Pen Dimensions**  
137.3mm



**Mark Width**  
Fine/Medium Tip  
0.5mm – 1.8mm



**Contents**  
Quick drying, xylene-free ink





## PAINT MARKERS

### Paint Marker P10



Reversible Bullet/Chisel Tip  
Qty 12

#### Features & Benefits

- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula

|  |            |          |
|--|------------|----------|
|  | P10 Black  | 12071001 |
|  | P10 Red    | 12071002 |
|  | P10 Yellow | 12071005 |
|  | P10 White  | 12071011 |

**HEAVY DUTY  
REVERSIBLE TIP**



**Pen Dimensions**  
142mm x 14mm



**Mark Width**  
Bullet Tip 2mm  
Chisel Tip 4mm



**Contents**  
10cc fast-drying,  
Xylene-free paint



### Paint Marker P20



Reversible Bullet/Chisel Tip  
Qty 12

#### Features & Benefits

- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula

|  |            |          |
|--|------------|----------|
|  | P20 Black  | 12072001 |
|  | P20 Red    | 12072002 |
|  | P20 Blue   | 12072003 |
|  | P20 Green  | 12072004 |
|  | P20 Yellow | 12072005 |
|  | P20 Pink   | 12072009 |
|  | P20 White  | 12072011 |

**AIRTIGHT CAP  
WITH POCKET CLIP**



**Pen Dimensions**  
135mm x 16mm



**Mark Width**  
Bullet Tip 3mm  
Chisel Tip 5mm



**Contents**  
13cc fast-drying,  
Xylene-free paint





## ARTLINE® MARKERS



### 70, 90, 100 & 400XF | Qty 6, 12

#### Features & Benefits

Artline® 70 – Permanent marker with bullet nib

Artline® 90 – Permanent marker with medium chisel nib

Artline® 100 – Permanent marker with large chisel nib

Artline® 400XF – Xylene-free permanent paint marker with medium bullet nib

#### Artline® Marker 70

Qty

|          |    |          |
|----------|----|----------|
| 70 Black | 12 | 12017001 |
| 70 Red   | 12 | 12017002 |
| 70 Blue  | 12 | 12017003 |

#### Artline® Marker 90

Qty

|          |    |          |
|----------|----|----------|
| 90 Black | 12 | 12019001 |
|----------|----|----------|

#### Artline® Marker 100

Qty

|           |   |          |
|-----------|---|----------|
| 100 Black | 6 | 12011001 |
|-----------|---|----------|

#### Artline® Marker 400XF

Qty

|              |    |          |
|--------------|----|----------|
| 400XF Black  | 12 | 12014001 |
| 400XF Red    | 12 | 12014002 |
| 400XF Blue   | 12 | 12014003 |
| 400XF Green  | 12 | 12014004 |
| 400XF Yellow | 12 | 12014005 |
| 400XF White  | 12 | 12014011 |

## IDEAL MARKER



### Qty 12

#### Features & Benefits

- Valve-action marker, with dye-based permanent ink
- Fitted with heavy duty bullet shaped replaceable tip

#### Ideal Marker

|                    |          |
|--------------------|----------|
| Ideal Marker Black | 30121201 |
|--------------------|----------|

#### Ideal Marker (Accessories) Replacement Tips

|                   |          |
|-------------------|----------|
| Ideal Marker Tips | 30161200 |
|-------------------|----------|





## Markers & Crayons

### MARUZEN MARKER



Qty 12

#### Features & Benefits

- Heavy-duty industrial marker
- Marks on steel, glass, wood, plastic, paper and leather
- Low toxicity ink, replacement tips available

#### Maruzen Marker

|  |                            |          |
|--|----------------------------|----------|
|  | Maruzen Marker No. 4 Black | 12704001 |
|  | Maruzen Marker No. 4 Red   | 12704002 |
|  | Maruzen Marker No. 4 Blue  | 12704003 |

#### Maruzen Marker (Accessories) Replacement Tips

|  |                     |          |
|--|---------------------|----------|
|  | Maruzen Marker Tips | 12704000 |
|--|---------------------|----------|

### MARK-TEX TEXPEN®



Qty 12

#### Features & Benefits

- Fine line ball point marker (3mm) with valve pump action
- Bright colour range is suitable for marking all surfaces

#### Mark-Tex Texpen®

|  |                         |          |
|--|-------------------------|----------|
|  | Mark-Tex Texpen® Black  | 12760101 |
|  | Mark-Tex Texpen® Red    | 12760102 |
|  | Mark-Tex Texpen® Yellow | 12760105 |
|  | Mark-Tex Texpen® White  | 12760111 |

### TRADES-MARKER®



Qty 6

#### Features & Benefits

- Convenient, retractable grease pencil
- Suitable for use on plastic, glass, wood, metal, china, cardboard and paper
- Weather resistant marks that will not rub off
- No sharpening needed

#### Trades-Marker®

|  |                                 |          |
|--|---------------------------------|----------|
|  | Trades-Marker® White Refills    | 10096042 |
|  | Trades-Marker® Yellow Refills   | 10096043 |
|  | Trades-Marker® Black Refills    | 10096044 |
|  | Trades-Marker® Red Refills      | 10096045 |
|  | Trades-Marker® Orange Refills   | 10096009 |
|  | Trades-Marker® Assorted Colours | 10096000 |



## LEVIATHAN® INDUSTRIAL CRAYONS



Qty 12

### Features & Benefits

- Wax crayons suitable for marking all surfaces
- Provides sensor recognisable marks, making them ideal for use with automatic saws and dockers

### Leviathan® Industrial Crayons

|  |                                 |          |
|--|---------------------------------|----------|
|  | Leviathan® Industrial Black     | 12345601 |
|  | Leviathan® Industrial Red       | 12345602 |
|  | Leviathan® Industrial Blue      | 12345603 |
|  | Leviathan® Industrial Yellow    | 12345605 |
|  | Leviathan® Industrial White     | 12345611 |
|  | Leviathan® Industrial FI/Red    | 12345622 |
|  | Leviathan® Industrial FI/Orange | 12345626 |

## LEVIATHAN® LUMBER CRAYONS



Qty 12

### Features & Benefits

- Ideal for marking cartons, timber and tyres
- Economical use
- Suitable for civil works, engineering and construction applications

### Leviathan® No.3 Lumber Crayons

|  |   |          |
|--|---|----------|
|  | Leviathan® No.3 Lumber Crayon Black     | 12020301 |
|  | Leviathan® No.3 Lumber Crayon Red       | 12020302 |
|  | Leviathan® No.3 Lumber Crayon Blue      | 12020303 |
|  | Leviathan® No.3 Lumber Crayon Green     | 12020304 |
|  | Leviathan® No.3 Lumber Crayon Yellow    | 12020305 |
|  | Leviathan® No.3 Lumber Crayon White     | 12020311 |
|  | Leviathan® No.3 Lumber Crayon FI/Orange | 12020326 |



## Markers & Crayons



# MARKAL® PAINTSTIKS®

## Markal® Paintstik® B

Qty 12

### Features & Benefits

- Weather and UV-resistant
- Ideal for layout, colour coding, fabrication and identification
- Marking range: -46°C to 66°C



### Markal® Paintstik® B

|  |                             |          |
|--|-----------------------------|----------|
|  | Markal® Paintstik® B Black  | 34011201 |
|  | Markal® Paintstik® B Red    | 34011202 |
|  | Markal® Paintstik® B Blue   | 34011203 |
|  | Markal® Paintstik® B Yellow | 34011205 |
|  | Markal® Paintstik® B Orange | 34011206 |
|  | Markal® Paintstik® B White  | 34011211 |

## Markal® Paintstik® B-L

Qty 12

### Features & Benefits

- Designed for fabricating structural steel or layout work where the marks are required to bleed through a primer coat covering the marks
- Marking range: -46°C to 66°C



### Markal® Paintstik® B-L

|  |                             |          |
|--|-----------------------------|----------|
|  | Markal® Paintstik® B-L Blue | 34061203 |
|--|-----------------------------|----------|

## Markal® Paintstik® H

Qty 144

### Features & Benefits

- Bright colour range for higher visibility, ideal for marking hot coils, billets, slabs, bars and ingots
- Long-lasting, weather and fade resistant and marks will not run, char, discolour, peel or crack
- Marking range: 107°C to 593°C



### Markal® Paintstik® H

|  |                             |          |
|--|-----------------------------|----------|
|  | Markal® Paintstik® H Red    | 34024402 |
|  | Markal® Paintstik® H Blue   | 34024403 |
|  | Markal® Paintstik® H Yellow | 34024405 |
|  | Markal® Paintstik® H White  | 34024411 |

## Markal® Paintstik® K

Qty 12

### Features & Benefits

- Marks on extremely hot steel and marks will not run, char, discolour, peel or crack
- Ideal for marking on iron and steel castings, ingots, forgings, blooms, billets and high-temperature metal alloys
- Marking range: 982°C to 1204°C



### Markal® Paintstik® K

|  |                            |          |
|--|----------------------------|----------|
|  | Markal® Paintstik® K White | 34081211 |
|--|----------------------------|----------|

## Markal® Paintstik® P

Qty 12

### Features & Benefits

- Designed for marking steel prior to the galvanising process
- Marks are completely removed in the pickling bath and will not interfere with the galvanising process
- Marking range: -46°C to 66°C



### Markal® Paintstik® P

|  |                            |          |
|--|----------------------------|----------|
|  | Markal® Paintstik® P White | 34061211 |
|--|----------------------------|----------|





# ENGINEERING CHALK



Qty 50, 100

### Features & Benefits

- Ideal for industrial grade applications
- Economical and semi-permanent marking
- Quick and easy to layout jobs

### Engineering Chalk

Qty

|                                     |     |          |
|-------------------------------------|-----|----------|
| Engineering Chalk White<br>80x10x10 | 50  | 12051111 |
| Engineering Chalk White<br>80x10x5  | 100 | 12051112 |

# LEVIATHAN WHITE BLOCK CHALK



Qty 144

### Features & Benefits

- Ideal for Industrial grade applications
- Quick and easy for layout jobs
- Easy to remove

### Leviathan White Block Chalk

|                               |          |
|-------------------------------|----------|
| White Chalk Block 25mm x 70mm | 12054411 |
|-------------------------------|----------|

# MARKERS & CRAYONS REFERENCE GUIDE

|                             |                  | Features & Benefits |                  |           |                          |             |     |             |                                |                     | Surfaces |      |           |                  |          |        |                  |       |           |                         |
|-----------------------------|------------------|---------------------|------------------|-----------|--------------------------|-------------|-----|-------------|--------------------------------|---------------------|----------|------|-----------|------------------|----------|--------|------------------|-------|-----------|-------------------------|
|                             |                  | Refillable          | Replacement Nibs | Permanent | Liquid Paint (Permanent) | Solid Paint | Ink | Xylene Free | Removed in galvanising process | Hot surface marking | Metal    | Wood | Damp Wood | Glass & Ceramics | Plastics | Rubber | Concrete & Stone | Paper | Cardboard | Waxed Paper / Cardboard |
| Specialty                   | Mark-Tex Texpen® |                     |                  |           | •                        |             |     |             |                                |                     | •        | •    |           | •                | •        | •      |                  | •     | •         | •                       |
|                             | Maruzen Marker   |                     | •                | •         |                          |             | •   |             |                                |                     | •        | •    |           | •                | •        | •      |                  | •     | •         |                         |
|                             | Ballmarker T400  | •                   | •                |           |                          |             | •   |             |                                |                     | •        | •    | •         | •                | •        | •      | •                | •     | •         | •                       |
|                             | Ballmarker PB80  | •                   | •                |           |                          |             | •   |             | •                              |                     | •        | •    | •         | •                | •        | •      | •                | •     | •         | •                       |
| Markal®                     | Trades-Marker®   | •                   |                  |           |                          |             |     | •           | •                              |                     | •        | •    |           | •                | •        | •      |                  | •     | •         |                         |
|                             | B Paintstik®     |                     |                  |           |                          | •           |     |             |                                |                     | •        | •    | •         | •                | •        | •      | •                | •     | •         | •                       |
|                             | B-L Paintstik®   |                     |                  |           |                          | •           |     |             |                                |                     | •        | •    | •         | •                | •        | •      | •                | •     | •         |                         |
|                             | H Paintstik®     |                     |                  |           |                          | •           |     |             |                                |                     | •        |      |           |                  |          |        |                  |       |           |                         |
|                             | K Paintstik®     |                     |                  |           |                          | •           |     |             |                                |                     | •        |      |           |                  |          |        |                  |       |           |                         |
|                             | P Paintstik®     |                     |                  |           |                          | •           |     |             | •                              |                     | •        |      |           |                  |          |        |                  |       |           |                         |
| Dy-Mark® Industrial Markers | Ink Marker i70   |                     |                  | •         |                          |             | •   | •           |                                |                     | •        | •    |           | •                | •        | •      | •                | •     | •         | •                       |
|                             | Ink Marker i90   |                     |                  | •         |                          |             | •   | •           |                                |                     | •        | •    |           | •                | •        | •      | •                | •     | •         | •                       |
|                             | Ink Marker iFine |                     |                  | •         |                          |             | •   | •           |                                |                     | •        | •    |           | •                | •        | •      | •                | •     | •         | •                       |
|                             | Dy-Mark D10      |                     | •                | •         |                          |             | •   |             |                                |                     | •        | •    |           | •                | •        | •      | •                | •     | •         | •                       |
|                             | Dy-Mark P20      |                     | •                |           | •                        |             |     | •           | •                              |                     | •        | •    |           | •                | •        | •      | •                | •     | •         | •                       |
|                             | Dy-Mark P10      |                     |                  |           | •                        |             |     | •           | •                              |                     | •        | •    |           | •                | •        | •      | •                | •     | •         | •                       |




## 2-WHEEL SPOT MARKING HANDLE

### Features & Benefits


- Ideal for trench digging and landscaping applications
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (See pages 7 & 13)

### 2-Wheel Spot Marking Handle

2-Wheel Spot Marking Handle 40090110



## LONG ARM HANDLE



### Features & Benefits

- Gives you that extra reach when you need it and assists in preventing back strain
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (See pages 7 & 13)

### Long Arm Handle

Long Arm Handle 40080105

### HANDY TIP

### How to use Marking Handles

#### Step 1

Insert aerosol can into can holder as shown in the orientation below.



#### Step 2

Continue to insert the aerosol can into the can holder until it slides over the spring bracket & you hear a clicking sound.




#### Step 3

Rotate the aerosol can and/or the trigger actuator to ensure the trigger cap is aligned with the trigger actuator.



#### Step 4

Pull trigger to spray.







## MEASURING WHEEL



### Features & Benefits

- Ideal for measuring distances to be spot marked
- Rugged construction for industrial environments
- Foldable handle and carry bag for easy transportation
- Suitable for surveying, plumbing, fencing and road construction

### Measuring Wheel

|   |                 |          |
|---|-----------------|----------|
|  | Measuring Wheel | 40990001 |
|---|-----------------|----------|

## SURVEY/FLAGGING PINS




Qty 500

### Features & Benefits

- Ideal for marking buried cables, underground wire, etc.
- Suitable for mining, construction, surveying, forestry and numerous other applications

### Survey/Flagging Pins (Fluoro)

|   |                           |          |
|---|---------------------------|----------|
|  | Flagging Pins Fluoro Pink | 47780129 |
|---|---------------------------|----------|

## SURVEY/FLAGGING TAPE




Qty 10

### Features & Benefits







- Brightly coloured flags ideal for marking buried cable, underground wires, etc.
- Suitable for mining, construction, surveying, civil works and other applications
- Hand tearable, high quality durable tape



### Survey/Flagging Tape

|   |                    |          |
|---|--------------------|----------|
|  | Tape 25x100 Red    | 47760102 |
|  | Tape 25x100 Blue   | 47760103 |
|  | Tape 25x100 Green  | 47760104 |
|  | Tape 25x100 Yellow | 47760105 |
|  | Tape 25x100 Orange | 47760106 |
|  | Tape 25x100 White  | 47760111 |

### Survey/Flagging Tape (Fluoro)

|   |                        |          |
|---|------------------------|----------|
|  | Tape 25x100 Glo Red    | 47760122 |
|  | Tape 25x100 Glo Blue   | 47760123 |
|  | Tape 25x100 Glo Green  | 47760124 |
|  | Tape 25x100 Glo Yellow | 47760125 |
|  | Tape 25x100 Glo Orange | 47760126 |
|  | Tape 25x100 Glo Pink   | 47760129 |



# LINE MASTER

## Line Marking Machine

### Features & Benefits

- Easy to transport, ergonomic design with built-in side line attachment
- Heavy duty steel construction includes lightweight, removable handle for spot marking
- Includes utility tray and storage for up to 5 cans of Dy-Mark Line Marking Paint, Line Marking Professional and Turf Master Paint (see pages 10, 11 & 12)
- Line width adjustable between approximately 60mm and 100mm


### Line Master

|   |          |
|---|----------|
| Line Master Line Marking Machine          | 41800203 |
| Line Master Replacement Masking Wheel Set | 41800304 |
| Line Master Replacement Handle            | 41800305 |

WATCH THE VIDEO ON 



### HANDY TIP



Dy-Mark Line Master is designed to be used with Line Marking Professional, Line Marking Paint and Turf Master Paint. (See pages 10 - 12)





## Tools & Accessories

# MINE MARKING HANDLE

## Ideal for extended non-contact marking

### Features & Benefits

- Aluminium handle designed for use with Dy-Mark Mine Marking and Mine Marking Non-Flammable Paint (Vertical format cans only) (See pages 14 & 15)
- Extends up to 5 metres
- Ideal for extended non-contact marking
- Reduces repetitive back strain
- Ideal for marking mine ceilings and top of mine face

### Mine Marking

Mine Marking Handle 3-5m Aluminium

38100603

Extends from 3 to 5 metres

### HANDY TIP


The Dy-Mark Mine Marking Handle has been designed to be used with Mine Marking Paint and Mine Marking Non-Flammable Paint (See pages 14 & 15)



## How to use the Mine Marking Handle

### Step 1

Turn the trigger actuator out of the way so there is clearance for the aerosol can to be inserted.



### Step 2

Insert aerosol can into can holder. **Note:** Only compatible with cans which have the upright/inverted spray nozzle (Trigger Cap), as shown.



### Step 3

Align the trigger actuator with the cap trigger. In this position, when the pull cord is pulled, the aerosol can will be actuated.




### Step 4

Push the red button to enable the handle to be extended to the desired length. Lock into position using one of the preset slots.







# METAL PROTECTION & FLOOR COATINGS



## Metal Protection

|                                     |    |
|-------------------------------------|----|
| Zinc Guard Application Guide        | 40 |
| Zinc Guard Cold Galvanising Coating | 41 |
| Zinc Guard Silver Bright            | 41 |
| Zinc Guard Silver Zinc              | 42 |
| Zinc Guard Black Zinc               | 42 |
| Zinc Guard Primers                  | 43 |
| Zinc Guard Etch Primer              | 43 |
| Zinc Guard Rust Converter           | 44 |
| Zinc Guard Epoxy Enamel             | 45 |
| Zinc Guard Quick Dry Enamel         | 46 |
| BondCover Touch Up Paint            | 47 |



## Floor Coatings

|           |    |
|-----------|----|
| TreadRite | 48 |
|-----------|----|



## Tools and Accessories

|                         |    |
|-------------------------|----|
| Sealant Remover Tool    | 49 |
| Sealant Applicator Tool | 49 |



# APPLICATION GUIDE

## ZiNC<sup>TM</sup> GUARD

Zinc Guard metal protection range has been specially designed to provide superior coverage and protection on all metal surfaces. This comprehensive range offers a wide selection of industrial grade metal coatings featuring advanced formula to provide a tough barrier against corrosion.



| Product                              | Size                | Surface Type & Condition |                      |                                 |   | Finish & Colour                                  |
|--------------------------------------|---------------------|--------------------------|----------------------|---------------------------------|---|--|
|                                      |                     | New Steel                | Rusted Steel         | Previously Painted Old Surfaces | Galvanised Iron, Stainless Steel, ZINCALUME®, Aluminium, Copper & Brass |  |
| Zinc Guard™ Rust Converter           | 350g                |                          | Convert & Seal       |                                 |   | Black  |
| Zinc Guard™ Cold Galvanising Coating | 400g, 500ml, 1L, 4L | Prime & Protect          |                      |                                 |   | Matt Grey  |
| Zinc Guard™ Primers (White and Grey) | 350g                | Prime                    | Prime                | Prime                           |   | Matt White and Grey                              |
| Zinc Guard™ Etch Primer              | 325g                | Prime                    |                      | Prime                           | Prime   | Matt Grey  |
| Zinc Guard™ Silver Zinc/Black Zinc   | 400g                | Prime & Top Coat*        | Prime & Top Coat*    | Prime & Top Coat*               | Paint with Top Coat*  | Metallic Silver/Satin Black                      |
| Zinc Guard™ Silver Bright            | 350g                | Paint with Top Coat*     | Paint with Top Coat* | Paint with Top Coat*            | Paint with Top Coat*  | Bright Silver                                    |
| Zinc Guard™ Epoxy Enamel             | 325g                | Paint with Top Coat*     | Paint with Top Coat* | Paint with Top Coat*            | Paint with Top Coat*  | Refer to colour chart for extensive colour range |
| Zinc Guard™ Quick Dry Enamel         | 325g                | Paint with Top Coat*     | Paint with Top Coat* | Paint with Top Coat*            | Paint with Top Coat*  | Refer to colour chart for extensive colour range |

### Convert & Seal

Converts rust into a tough barrier against further corrosion.

### Prime & Protect

Protect surfaces from rust with a zinc rich anti-corrosive primer.

### Prime

Use appropriate primer for each specific application to ensure superior protection & adhesion.

### Prime & Top Coat

Dual action primer & top coat in a one-step application.

### Paint with Top Coat

A range of paints that provide specific top-coating solutions.

*\*For superior protection and adhesion, use appropriate Primers.*



## ZINC GUARD COLD GALVANISING COATING



400g | Qty 12  
500mL, 1L, 4L | Qty 1

### Features & Benefits

- A zinc rich, heavy duty corrosion inhibitive primer
- Suitable for use on steel, wrought iron and galvanised iron
- Contains 91% zinc in dry film

### Zinc Guard Cold Galvanising Coating (Horizontal Spray)

|                          |           |
|--------------------------|-----------|
| Cold Galvanising Coating | 230732006 |
|--------------------------|-----------|

### Zinc Guard Cold Galvanising Coating (Brush On)

|                          |       |           |
|--------------------------|-------|-----------|
| Cold Galvanising Coating | 500ml | 230731050 |
| Cold Galvanising Coating | 1L    | 230731100 |
| Cold Galvanising Coating | 4L    | 230731400 |



### Suitable Surfaces

Steel, wrought iron & galvanised iron



### Coverage

#### Aerosol Spray

Approximately 2 sqm per aerosol can (depending on the surface)

#### Brush On

Approximately 6–8 sqm per litre



### Drying Time

Touch dry in 20 minutes.  
Recoat after 3–4 hours.  
Dry to handle (hard dry) in 16–24 hours.



### Ideal Application Temperature

Between 10°C and 35°C

### HANDY TIP

*Drying times will be slower in cold and humid conditions, in the absence of ventilation or where heavy film build is applied.*

## ZINC GUARD SILVER BRIGHT



350g | Qty 12

### Features & Benefits

- Anti-corrosive silver paint designed to match the bright finish of hot dip galvanising
- Provides a tough and durable finish to steel and iron
- Suitable for use as a top coat over Dy-Mark Zinc Guard Cold Galvanising Coating

### Zinc Guard™ Silver Bright (Horizontal Spray)

|               |           |
|---------------|-----------|
| Silver Bright | 230732007 |
|---------------|-----------|



### Suitable Surfaces

Steel, iron & non-ferrous metals with appropriate primer



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry in 15–20 minutes.  
Recoat after 1 hour.



### Ideal Application Temperature

Between 10°C and 35°C





## Metal Protection

# ZINC GUARD SILVER ZINC



400g | Qty 12

### Features & Benefits

- Fast drying, 2 in 1 primer and top coat
- Provides excellent adhesion and corrosion resistance to metal surfaces

### Zinc Guard Silver Zinc (Horizontal Spray)

Silver Zinc

230732008

### HANDY TIP

*Ideally used for galvanised surfaces including sheeting products and roofing sheets, clean mild steel and welded areas, neatly prepared primed surfaces, etc.*



### Suitable Surfaces

Steel, wrought iron, galvanised iron & non-ferrous metals such as: aluminium, alloys, stainless steel and ZINCALUME® with appropriate primer



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry in 20 minutes.  
Recoat after 1 hour.  
Dry to handle (hard dry) in 16–24 hours.



### Ideal Application Temperature

Between 10°C and 35°C

# ZINC GUARD BLACK ZINC



400g | Qty 12

### Features & Benefits

- Fast drying, 2 in 1 primer and top coat
- Provides excellent adhesion and corrosion resistance to metal surfaces

### Zinc Guard Black Zinc (Horizontal Spray)

Black Zinc

230732009



### Suitable Surfaces

Steel, wrought iron, galvanised iron & non-ferrous metals such as: aluminium, alloys, stainless steel and ZINCALUME® with appropriate primer



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry in 20 minutes.  
Recoat after 1 hour.  
Dry to handle (hard dry) in 16–24 hours.



### Ideal Application Temperature

Between 10°C and 35°C



## ZINC GUARD PRIMERS



350g | Qty 12

### Features & Benefits

- Fast dry primer designed to provide an ideal base for top coats on steel and iron
- Corrosion barrier
- High opacity

### Zinc Guard Primers (Horizontal Spray)

|              |           |
|--------------|-----------|
| White Primer | 230732003 |
| Grey Primer  | 230732004 |



### Suitable Surfaces

Steel & Iron



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry 15–20 minutes.  
Recoat after 1 hour.



### Ideal Application Temperature

Between 10°C and 35°C

## ZINC GUARD ETCH PRIMER



325g | Qty 12

### Features & Benefits

- Designed to etch and bond to aluminium, galvanised iron, new steel, ZINCALUME®, copper and brass
- Superior adhesion
- Fast dry

### Zinc Guard Etch Primer (Horizontal Spray)

|             |           |
|-------------|-----------|
| Etch Primer | 230732001 |
|-------------|-----------|



### Suitable Surfaces

Aluminium, galvanised iron, new steel, stainless steel, ZINCALUME®, alloys, copper and brass.



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry in 10 minutes.  
Recoat after 2 hours.



### Ideal Application Temperature

Between 10°C and 35°C



# ZINC GUARD RUST CONVERTER




350g | Qty 12

### Features & Benefits

- Converts rust into a tough barrier against further corrosion
- Easy to use
- Tannic acid based
- Ideal for use on: rusted gutters, roofs, garden furniture, gates, fencing, trailers, machinery and equipment

### Zinc Guard Rust Converter

|  |           |
|--|-----------|
|  Rust Converter | 230733501 |
|--|-----------|



### Suitable Surfaces

Rusted steel (ferrous) surfaces. Should only be applied to rusted surfaces. NOT to be used as a rust preventative coating on clean steel. Not recommended for permanent immersion in fresh or salt water. Note: Rust Converter may not prevent further rusting when applied to heavy rust scale.



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry in 20 minutes (25°C).  
Recoat within 1 hour.  
Full dry in 24 hours.



### Ideal Application Temperature

Between 10°C and 30°C

## RESEARCH & DEVELOPMENT

Whilst Dy-Mark maintains standards second to none in our traditional markets, it is our Research and Development department that truly is the life blood of our business.

Our team is committed to innovation and development. Our products are conceived through imagination combined with market needs. Quality controlled laboratory development and testing is conducted by a team of chemists dedicated to getting things right "first time, every time". Combine this with expertise in designing contemporary packaging with flair and originality, Dy-Mark is able to bring the finished product to market quickly and efficiently with the commitment that you need to enhance your business.

If you have a particular need for a new product in your field, please contact us at [info@dymark.com.au](mailto:info@dymark.com.au) and we will try to make that idea a reality.







# ZINC GUARD EPOXY ENAMEL



325g | Qty 12

### Features & Benefits

- High build, direct to metal top coat with exceptional gloss levels
- Advanced zinc anti-corrosive formula for industrial use
- Provides a durable, long lasting finish with greater UV resistance
- Suitable for use on all metal surfaces such as: fences, gates, doors, letter boxes, fabricated steel, brackets, trailers, factory equipment and machinery

### Zinc Guard Epoxy Enamel (Horizontal Spray)

|  |                     |       |    |           |
|--|---------------------|-------|----|-----------|
|  | Flat Black          | Flat  | 12 | 230732101 |
|  | Flat White          | Flat  | 12 | 230732111 |
|  | Gloss Black         | Gloss | 12 | 230732301 |
|  | Signal Red R13      | Gloss | 12 | 230732302 |
|  | Deep Ocean          | Gloss | 12 | 230732303 |
|  | Cottage Green       | Gloss | 12 | 230732304 |
|  | Golden Yellow Y14   | Gloss | 12 | 230732305 |
|  | Classic Cream       | Gloss | 12 | 230732309 |
|  | Aluminium           | Gloss | 12 | 230732310 |
|  | Gloss White         | Gloss | 12 | 230732311 |
|  | Ultramarine B21     | Gloss | 12 | 230732314 |
|  | Jade G21            | Gloss | 12 | 230732315 |
|  | Deep Indian Red R64 | Gloss | 12 | 230732316 |
|  | Orange X15          | Gloss | 12 | 230732317 |



**Suitable Surfaces**  
All metals



**Coverage**  
Approximately 1.9 sqm per aerosol can (depending on surface and colour used)



**Drying Time**  
Touch dry in 6 hours.  
Recoat after 16 hours.  
Hard dry 16–24 hours.



**Ideal Application Temperature**  
Between 10°C and 35°C



# ZINC GUARD QUICK DRY ENAMEL



325g | Qty 12

### Features & Benefits

- Quick drying top coat (touch dry in 10 – 15 minutes)
- Protect surfaces against rust whilst providing a durable finish
- Ideal for both interior and exterior projects
- Suitable for use on all metal surfaces such as: fences, gates, doors, letter boxes, fabricated steel, brackets, trailers, factory equipment and machinery



### Suitable Surfaces

Pre painted metal surfaces, steel, wrought iron, galvanised iron and non-ferrous metal such as; aluminium, alloys, ZINCALUME® and stainless steel with appropriate primer



### Coverage

Approximately 2 sqm per aerosol can (depending on surface and colour used)



### Drying Time

Touch dry in 10–15 minutes. Recoat after 1 hour.



### Ideal Application Temperature

Between 10°C and 35°C

### Zinc Guard Quick Dry Enamel (Horizontal Spray)

|                   |          |    |           |
|-------------------|----------|----|-----------|
| Flat Black        | Flat     | 12 | 230932101 |
| Flat White        | Flat     | 12 | 230932111 |
| Satin Black       | Satin    | 12 | 230932201 |
| Aluminium         | Gloss    | 12 | 230932210 |
| Clear             | Gloss    | 12 | 230932300 |
| High Gloss Black  | Gloss    | 12 | 230932301 |
| Signal Red R13    | Gloss    | 12 | 230932302 |
| Ocean Blue        | Gloss    | 12 | 230932303 |
| Brunswick Green   | Gloss    | 12 | 230932304 |
| Golden Yellow Y14 | Gloss    | 12 | 230932305 |
| Orange X15        | Gloss    | 12 | 230932306 |
| Primrose          | Gloss    | 12 | 230932309 |
| Silver            | Gloss    | 12 | 230932310 |
| High Gloss White  | Gloss    | 12 | 230932311 |
| Pewter Grey N63   | Gloss    | 12 | 230932313 |
| Black             | Hammered | 12 | 230932401 |
| Blue              | Hammered | 12 | 230932403 |
| Silver            | Hammered | 12 | 230932410 |
| Charcoal          | Hammered | 12 | 230932413 |



# BOND COVER TOUCH UP PAINT



300g | Qty 6

### Features & Benefits

- Matches COLORBOND® satin finish
- Maintenance and repair of fences, gutters, fascia and more
- Durable formulation for exterior use
- Quick dry

### BondCover Touch Up Paint (Horizontal Spray)

|                |          |
|----------------|----------|
| Dune®          | 12533001 |
| Classic Cream™ | 12533002 |
| Surfmist®      | 12533003 |
| Woodland Grey® | 12533004 |
| Manor Red®     | 12533005 |
| Deep Ocean®    | 12533006 |
| Cottage Green® | 12533007 |
| Pale Eucalypt® | 12533010 |
| Paperbark®     | 12533012 |
| Basalt®        | 12533015 |
| Shale Grey™    | 12533017 |
| Night Sky®     | 12533018 |
| Windspray®     | 12533019 |
| Ironstone®     | 12533020 |
| Jasper®        | 12533021 |
| Monument®      | 12533022 |



#### Suitable Surfaces

Pre painted metal surfaces, bare metal surfaces such as mild steel, galvanised and zinc coated steel and aluminium after application of suitable primer



#### Coverage

Approximately 2 sqm per can (depending on surface and colour used)



#### Drying Time

Touch dry in 15-20 minutes (20°C). Recoat after 1 hr.



#### Ideal Application Temperature

Between 10°C and 35°C



COLORBOND® and ® colour names are registered trademarks and ™ colour names are trademarks of Bluescope Steel Limited.





# TREADRITE

## Slip Resistant Coating

1L, 4L & 10L | Qty 1

### Features & Benefits

- Ideal for interior and exterior untreated timber, concrete, primed metal and brick & clay pavers
- Creates durable slip resistant surfaces
- Resists cracking, peeling and exposure to petrol, oil and mild chemicals
- Easy to apply with uniform coverage
- Industrial applications include stairs, entrances and exit ways
- TreadRite (1L, 4L and 10L) have been tested for compliance with AS 4586:2013, Slip resistance of new pedestrian surface materials (classification P5). **Suitable for use on ramps.**



#### Suitable Surfaces

Untreated timber, concrete, primed metal and brick & clay pavers



#### Coverage

Yellow – approx. 3–6m<sup>2</sup>  
Clear & Black – approx. 5–10m<sup>2</sup>



#### Drying Time

Touch dry 6–8 hours (25°C).  
Recoat 24–36 hours  
(depending on film thickness).  
Walk on in 24–48 hours.

#### TreadRite

|        |     |   |          |
|--------|-----|---|----------|
| Clear  | 1L  | 1 | 23060100 |
| Black  | 1L  | 1 | 23060101 |
| Yellow | 1L  | 1 | 23060105 |
| Clear  | 4L  | 1 | 23060400 |
| Black  | 4L  | 1 | 23060401 |
| Yellow | 4L  | 1 | 23060405 |
| Clear  | 10L | 1 | 23061000 |
| Black  | 10L | 1 | 23061001 |
| Yellow | 10L | 1 | 23061005 |

WATCH THE VIDEO ON 





## SEALANT REMOVER TOOL



Qty 1

### Features & Benefits

- Helps the beginner or expert remove any type of caulk/sealant, even if it has been in place for years
- No chemicals or mess
- Re-usable tool

### Sealant Remover

|                 |          |
|-----------------|----------|
| Sealant Remover | 18201201 |
|-----------------|----------|

## SEALANT APPLICATOR TOOL



Qty 1

### Features & Benefits

- A handy, re-usable tool that helps to avoid sealant contamination
- Unique design evens out the distribution of sealant/caulking, forcing it into the gap
- A perfect finish – each time
- Easy to clean
- No mess

### Sealant Applicator

|                    |          |
|--------------------|----------|
| Sealant Applicator | 18201202 |
|--------------------|----------|



# MAINTENANCE



## Aerosol Cleaner & Lubricants

|   |    |
|---|----|
| Protech Chain Lubricant                       | 52 |
| Protech Dry Graphite Lubricant                | 52 |
| Protech Multi-Purpose Lubricant               | 53 |
| Protech Silicone Lubricant                    | 53 |
| Protech Penetrating Oil                       | 54 |
| Protech Lanolin Lubricant                     | 54 |
| Protech White Lithium Grease                  | 55 |
| Protech Heavy Duty Degreaser                  | 55 |
| Protech Contact Cleaner Flammable             | 56 |
| Protech Electrical Cleaner                    | 56 |
| Protech Brake & Parts Cleaner                 | 57 |
| Protech Brake & Parts Cleaner Non-Chlorinated | 57 |
| Protech Freeze Spray                          | 58 |
| Protech Air Duster                            | 58 |
| Protech Isopropyl Alcohol                     | 59 |



## Cleaning Solvents

|                  |    |
|------------------|----|
| Graffiti Remover | 59 |
|------------------|----|





# PROTECH<sup>®</sup>

## CLEANERS & LUBRICANTS

### MAINTAIN OPTIMUM PERFORMANCE

Protech's range of industrial grade cleaners and lubricants have been specially formulated for those requiring high performance results. After extensive product research and development, Dy-Mark has produced a range of cleaner and lubricants designed a range of 15 products world class cleaners and lubricants. Protech lubricants are ideal for everyday industrial equipment such as: pulleys, conveyors, rusted bolts, tools and chains; while Protech's cleaner range makes tough jobs easier and is suitable for engines, brake parts, machinery and electrical equipment. Whatever your needs, you can be sure to achieve and maintain optimum performance with Protech.



## PROLOCK<sup>®</sup>

### 2 WAY LOCKABLE ACTUATOR



Normal Spray



Hard to reach areas



Locked



Unlocked



# CHAIN LUBRICANT



300g | Qty 6

### Features & Benefits

- Heavy duty multi-purpose chain lubricant
- Resists high speed fling off while providing exceptional anti-wear and anti-corrosion performance even under the most severe operating conditions
- Can work in extreme temperatures of -10°C to +155°C
- Innovative 2 way actuator with locking tab

|                 |          |
|-----------------|----------|
| Chain Lubricant | 42033003 |
|-----------------|----------|

# DRY GRAPHITE LUBRICANT



150g | Qty 6

### Features & Benefits

- Multi-purpose dry powder lubricant that provides lubrication to surfaces which require unhindered sliding capability
- Finely ground powder for optimum penetration
- Lock lubricant

|                        |          |
|------------------------|----------|
| Dry Graphite Lubricant | 42031502 |
|------------------------|----------|



## MULTI-PURPOSE LUBRICANT



400g | Qty 12

### Features & Benefits

- A multi-use product that penetrates, lubricates, protects and displaces moisture
- It has hundreds of uses on the job, around the home, garden or garage
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



|                         |      |          |
|-------------------------|------|----------|
| Multi-Purpose Lubricant | 400g | 42034002 |
|-------------------------|------|----------|

## SILICONE LUBRICANT



350g | Qty 6

### Features & Benefits

- A high performance multi-purpose silicone spray that protects, waterproofs and lubricates
- Provides a thin, clear protective film which is non-staining and non-corrosive
- For use on metal, plastic, rubber and wood
- Can work in extreme temperatures of -40°C and +260°C
- Innovative 2 way actuator with locking tab

|                    |          |
|--------------------|----------|
| Silicone Lubricant | 42033501 |
|--------------------|----------|

|                          |          |
|--------------------------|----------|
| Silicone Gensil 601 300g | 42603501 |
|--------------------------|----------|





# PENETRATING OIL



400g | Qty 12

### Features & Benefits

- High speed penetrant and lubricant that quickly penetrates rusted and seized metal parts
- Has a low viscosity that creeps into cracks, seams, threads and joints, loosening and freeing them instantly
- Helps prevent further corrosion
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



|                 |          |
|-----------------|----------|
| Penetrating Oil | 42034001 |
|-----------------|----------|

# LANOLIN LUBRICANT



400g | Qty 6

### Features & Benefits

- Safe and environmentally friendly product
- Lanolin (wool grease) is a natural substance derived from sheep wool
- Non-toxic, biodegradable, non-evaporative and provides long lasting lubrication and corrosion protection
- Moisture, salt and acid resistant without harming metal, plastics, paints, fibreglass, rubber or neoprene seals

|                   |          |
|-------------------|----------|
| Lanolin Lubricant | 42034005 |
|-------------------|----------|



## WHITE LITHIUM GREASE



300g | Qty 6

### Features & Benefits

- High performance lithium based grease
- Provides long lasting lubrication for all metal to metal applications
- Excellent water and heat resistance
- Reduces friction whilst protecting against rust and corrosion
- Can work in extreme temperatures of -15°C to +115°C
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



|                      |          |
|----------------------|----------|
| White Lithium Grease | 42033001 |
|----------------------|----------|

## HEAVY DUTY DEGREASER



400g | Qty 6

### Features & Benefits

- Specifically formulated to provide effective and fast removal of tough grease, oil, dirt and grime
- Delivers a concentrated jet which works immediately on contact and is easy to rinse off with water
- Uses a 360° valve for upright and inverted applications



|                      |          |
|----------------------|----------|
| Heavy Duty Degreaser | 42034003 |
|----------------------|----------|



## CONTACT CLEANER - FLAMMABLE



350g | Qty 6

### Features & Benefits

- A stable, inert, high purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-staining and contains no lubricants
- Excellent for cleaning oil, dirt, flux residue and condensation from precision electronics and electrical equipment
- Innovative 2 way actuator with locking tab

Contact Cleaner – Flammable

42033502

## ELECTRICAL CLEANER



400g | Qty 6

### Features & Benefits

- Non-flammable
- No flash or fire point
- Leaves no residue
- Fast drying
- Uses a 360° valve for upright and inverted applications
- For use on electrical equipment as a degreaser/cleaner



Electrical Cleaner

42034006





## BRAKE & PARTS CLEANER



500g | Qty 6

### Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Leaves no residue
- Uses a 360° valve for upright and inverted applications



|                         |          |
|-------------------------|----------|
| Brake and Parts Cleaner | 42035001 |
|-------------------------|----------|

## BRAKE & PARTS CLEANER (NON-CHLORINATED)



350g | Qty 6

### Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Non-staining, leaves no residue and is non-corrosive. This product does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform.
- Uses a 360° valve for upright and inverted applications



|   |          |
|---|----------|
| Brake & Parts Cleaner (Non-Chlorinated) | 42035002 |
|---|----------|



### FREEZE SPRAY



300g | Qty 6

#### Features & Benefits

- An efficient cooling system that instantly freezes surfaces to -50°C
- Powerful blast of propellant instantly chills suspect electrical and electronic components
- Non-flammable, plastic safe, leaves no residue and is non-abrasive
- Is also ideal for removing chewing gum or sweets from fabrics

Freeze Spray

42033004

### AIR DUSTER



235g | Qty 6

#### Features & Benefits

- A dry, multi-purpose cleaner for the safe removal of dust and lint from all delicate precision equipment
- Has a powerful burst of compressed gas which will remove dirt without any abrasion risk
- Non-corrosive and leaves no residue or condensation
- Ideal for off-site servicing when compressed air is not available

Air Duster

42032301



## ISOPROPYL ALCOHOL



275g | Qty 6

### Features & Benefits

- High purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-conducting and contains no lubricants
- Excellent for cleaning oil, dirt, dust, fingerprints, flux and polar soils from precision electronics and electrical equipment

Isopropyl Alcohol

42032701

## GRAFFITI REMOVER



400ml | Qty 15

### Features & Benefits

- Biodegradable citrus-based formula
- Removes most aerosol paints and felt pen graffiti
- Will not cause damage to the original surface
- Also effective in the removal of adhesives and chewing gum

### Graffiti Remover

Graffiti Remover Pump Spray

33034000





# INDUSTRIAL PACKAGING



## Tape

|                                   |    |
|-----------------------------------|----|
| Masking Tape                      | 61 |
| Silver PVC Sealing & Joining Tape | 61 |
| PP31 Vibac Packing Tape           | 61 |
| Tape Dispenser                    | 61 |



## Strapping

|                                     |    |
|-------------------------------------|----|
| Polypropylene Hand Strapping        | 62 |
| Heavy Duty Polypropylene Strapping  | 62 |
| Polypropylene Strapping Tools       | 63 |
| Polypropylene Strapping Accessories | 63 |
| Steel Strapping                     | 64 |
| Steel Strapping Accessories         | 64 |
| Steel Strapping Tools               | 64 |



## Wrapping

|                                |    |
|--------------------------------|----|
| Hand Stretchwrap & Accessories | 65 |
| Bundling Film & Accessories    | 65 |





Tape

## TAPE



### Masking Tape

#### Features & Benefits

- Hand tearable crepe paper suitable for masking or packaging

#### Masking Tape

|          |      | Qty |          |
|----------|------|-----|----------|
| 12mmx50m | Roll | 72  | 47311207 |
| 18mmx50m | Roll | 48  | 47311807 |
| 24mmx50m | Roll | 36  | 47312407 |
| 48mmx50m | Roll | 24  | 47314807 |



### Silver PVC Sealing & Joining Tape

#### Features & Benefits

- Ideal for joining builders' film
- Also suitable for sealing and joining heavy gauge polythene sheets

#### Silver PVC Sealing & Joining Tape

|              |      | Qty |          |
|--------------|------|-----|----------|
| 48x30mx130um | Roll | 60  | 47614810 |
| 48x30mx160um | Roll | 60  | 47600110 |



### PP31 Vibac Packing Tape

#### Features & Benefits

- Quality tape with natural rubber solvent-based adhesive ideal for despatch or general packaging use
- High breaking strain (30 micron gauge)

#### PP31 Vibac Packaging Tape

|                |      | Qty |          |
|----------------|------|-----|----------|
| 48mmx75m Clear | Roll | 36  | 47054800 |
| 48mmx75m Brown | Roll | 36  | 47054807 |



### Tape Dispenser

#### Features & Benefits

- Pistol grip tape dispensers suitable for tapes with thickness up to 50mm

#### Tape Dispenser

|                            |          |
|----------------------------|----------|
| Tape Dispenser Pistol Grip | 47800100 |
|----------------------------|----------|



## POLYPROPYLENE HAND STRAPPING




### Features & Benefits

- Available in a variety of breaking strains and widths
- Flexible and easy to use, supplied in a convenient dispenser box

### Polypropylene Hand Strapping

|   |                 |          |
|---|-----------------|----------|
|  | 12mmx1000m Blue | 35011203 |
|  | 15mmx1000m Blue | 35011503 |
|  | 19mmx1000m Blue | 35011903 |

## HEAVY DUTY POLYPROPYLENE STRAPPING



### Features & Benefits

- 320kg breaking strain
- Flexible and easy to use, supplied in a convenient dispenser box
- Use with Polypropylene Strapping Tools & Accessories

### Heavy Duty Polypropylene Strapping

|   |                  |          |
|---|------------------|----------|
|  | 19mmx1000m Black | 35021901 |
|---|------------------|----------|






## POLYPROPYLENE STRAPPING TOOLS



Poly Heavy Band Dispenser



Poly Tensioner CFH



Poly Crimper

### Dispensers, Crimpers & Tensioners


#### Features & Benefits

- Dispenser – ideal for quick and easy roll changes, portable unit with storage area for tensioners & crimpers
- Crimpers – designed to crimp metal, snap-on seals
- Tensioners – adjustable width cutting and tensioning tool that will work in any position

#### Polypropylene Strapping Tools

|                                    |          |
|------------------------------------|----------|
| Poly Heavy Band 19mm Dispenser     | 35300103 |
| Poly Crimper 19mm Heavy Duty       | 35300201 |
| Poly Crimper 12mm                  | 35300300 |
| Poly Crimper 15mm                  | 35300500 |
| Poly Tensioner 10–19mm             | 35300600 |
| Poly Tensioner CFH 19mm Heavy Duty | 35300400 |

## POLYPROPYLENE STRAPPING ACCESSORIES



Metal Seals Open



Metal Buckles



Plastic Buckles

Qty 1000

#### Features & Benefits

- Metal Seals Open – designed for use with poly strapping and manual sealing tools
- Plastic Buckles – quick and easy to use with hand tensioned poly strapping
- Metal Buckles – available in 3 widths for extra strength in strapping applications

#### Metal Strapping Seals for Polypropylene Accessories

|   |           |
|---|-----------|
| Metal Seals Open 12mm & 15mm                | 35210115  |
| Metal Seals Open 19mm Heavy Duty            | 35210119  |
| Metal Seals 19mm Bright for Steel Strapping | 35213436B |

#### Plastic Strapping Buckles for Polypropylene Accessories

|                               |          |
|-------------------------------|----------|
| Plastic Buckles 12mm          | 35021200 |
| Plastic Buckles 15mm          | 35021500 |
| Metal Buckles 15mm Heavy Duty | 35200115 |
| Metal Buckles 19mm Heavy Duty | 35200119 |



# STEEL STRAPPING



## Features & Benefits

- High tensile steel strapping supplied in longer rolls
- Safe to use – rounded edges, easy to handle when used with the steel strap dispenser

## Steel Strapping

|                              |          |
|------------------------------|----------|
| Steel Strap 12x200m 0.5mm    | 35250112 |
| Steel Strap 15x208m 0.5mm    | 35250115 |
| Steel Strap 19x210m 0.5mm    | 35250119 |
| Steel Strap 19x378m 0.8mm HT | 35250419 |
| Steel Strap 32x250m 0.8mm HT | 35250432 |

## Zinc Steel Strapping

|                                |          |
|--------------------------------|----------|
| Zinc Steel Strap 19x210m 0.5mm | 35240119 |
|--------------------------------|----------|

# STEEL STRAPPING ACCESSORIES

Qty 1000

## Features & Benefits

- Snap-On Seals - easy to apply, suitable for use with the steel strap crimper and available in 3 sizes
- Metal Seals - designed for use with steel strapping



## Snap-On Seals for Steel Strapping (Accessories)

|                    |        |
|--------------------|--------|
| Snap-On Seals 12mm | 35SO12 |
| Snap-On Seals 15mm | 35SO15 |
| Snap-On Seals 19mm | 35SO19 |

## Metal Seals for Steel Strapping (Accessories)

|                  |           |
|------------------|-----------|
| Metal Seals 32mm | 35215436P |
|------------------|-----------|

# STEEL STRAPPING TOOLS



Steel Strapping Dispenser



Steel Strapping Cutter



Steel Strapping Crimper



Steel Strapping Tensioner

## Features & Benefits

- Quality tools designed for use with Dy-Mark's Steel Strapping
- Heavy duty construction for long lasting use
- Easy to use

## Steel Strapping Tools

|   |          |
|---|----------|
| Steel Strapping Dispenser W.Wheels                          | 3518CR2S |
| Steel Strapping Crimper 12mm LD                             | 3518C312 |
| Steel Strapping Crimper 15mm LD                             | 3518C315 |
| Steel Strapping Crimper 19mm LD                             | 3518C319 |
| Steel Strapping Crimper 19mm HD                             | 3518SH19 |
| Steel Strapping Cutter 12-19mm                              | 3518CU30 |
| Steel Strapping Tensioner 12-19mm HD                        | 3518FH90 |
| Steel Strapping Tensioner 12-19mm                           | 3518S290 |
| Steel Strapping Tensioner 19-32mm                           | 3518S298 |
| Steel Strapping Tensioner with Cutter & Hammer Knob 12-19mm | 3518S240 |

## Steel Strapping Specifications

| Description                    | Breaking Load |
|--------------------------------|---------------|
| Steel Strapping – Regular      | 530kg         |
| Steel Strapping – Regular      | 654kg         |
| Steel Strapping – Regular      | 775kg         |
| Steel Strapping – High Tensile | 1551kg        |
| Steel Strapping – High Tensile | 2588kg        |
| Steel Strapping – Zinc Coated  | 824kg         |



## HAND STRETCHWRAP & ACCESSORIES



### Blown Film

#### Features & Benefits

- Black stretch wrap is ideal for concealing the contents of a pallet (detering theft during storage and transport)
- Durable polyethylene stretch film, excellent puncture resistance and useful in stabilising sharp or bulky objects

#### Hand (Blown Film) Stretchwrap

|  |                     |      | Qty |          |
|--|---------------------|------|-----|----------|
|  | 500x450mx20um Clear | Roll | 4   | 36052000 |
|  | 500x400mx23um Clear | Roll | 4   | 36062300 |
|  | 500x400mx25um Black | Roll | 4   | 36062501 |

#### Hand (Blown Film) (Accessories)

|  |                    |         |
|--|--------------------|---------|
|  | Stretchwrap Handle | 360HDPW |
|--|--------------------|---------|

## BUNDLING FILM & ACCESSORIES



### Features & Benefits

- Special stretchwrap film that sticks only to itself and not to the goods being wrapped
- Dispenser is a miniature hand-held system for quick and easy wrapping of small or irregular shaped items

#### Bundling Film

|  |                  |      | Qty |          |
|--|------------------|------|-----|----------|
|  | 100mmx300m Clear | Roll | 20  | 36200000 |

#### Bundling Film Dispenser (Accessories)

|  |           |          |
|--|-----------|----------|
|  | Dispenser | 36200001 |
|--|-----------|----------|



# PERSONAL INSECT REPELLENT

## Personal Protection Range


|  |    |
|--|----|
| RID® Tropical Strength + Antiseptic                | 68 |
| RID® Ultimate + Antiseptic + Chamomile + Vitamin E | 68 |
| RID® Kids + Antiseptic                             | 69 |
| RID® Sunscreen Combo SPF50+                        | 69 |

## Outdoor Protection

|                             |    |
|-----------------------------|----|
| RID® Outdoor Mosquito Coils | 69 |
|-----------------------------|----|

## Insect Killers - Home Protection

|  |    |
|--|----|
| Terminator Crawling Insect Killer        | 70 |
| Terminator Odourless Multi Insect Killer | 71 |
| Terminator Flying Insect Killer          | 71 |





Remember the RID®  
you'll be glad you did.



Since the mid 1950's, RID® has been protecting Australians from mosquitos, flies and other insects by using a superior formula of the highest quality DEET with healing medicinal ingredients containing antiseptic to prevent inflammation.



# RID® TROPICAL STRENGTH + ANTISEPTIC



60ml Roll-on | Qty 8      150g Aerosol | Qty 8  
100ml Roll-on | Qty 8      300g Aerosol | Qty 8  
100ml Pump | Qty 8

### Features & Benefits

- Contains 19.1% DEET to safely and effectively repel for up to 8 hours
- The only repellent formulated with antiseptic to reduce inflammation and assist in preventing infection caused by insect bites
- Designed to be applied as a FIRST AID as a BEFORE and AFTER bite medication
- Repels more insects than any other repellent
- Qualified to effectively repel flies, gnats, tsetse flies, lice, leeches and biting midge

|                                |       |          |
|--------------------------------|-------|----------|
| RID® Tropical Strength Roll-on | 60ml  | 33418060 |
| RID® Tropical Strength Roll-on | 100ml | 33418100 |
| RID® Tropical Strength Pump    | 100ml | 33438100 |
| RID® Tropical Strength Aerosol | 150g  | 33428150 |
| RID® Tropical Strength Aerosol | 300g  | 33428300 |



# RID® ULTIMATE + ANTISEPTIC + CHAMOMILE + VITAMIN E



50ml Roll-on | Qty 8      150g Aerosol | Qty 8  
100ml Pump | Qty 8      500ml Lotion | Qty 6

### Features & Benefits

- 16% DEET effectively repels for up to 6 hours.
- Designed to be a BEFORE and AFTER bite medication with antiseptic to reduce inflammation and assist to prevent infection caused by insect bites
- Chamomile helps soothe the bite to stop the itching
- Vitamin E assist wound healing of broken skin
- Combined with a fly repellent effective against flies, gnats, tsetse flies, ants and lice
- Neutral scent from Chamomile

|                           |       |          |
|---------------------------|-------|----------|
| RID® Ultimate Roll-on     | 50ml  | 33218050 |
| RID® Ultimate Pump Lotion | 100ml | 33218100 |
| RID® Ultimate Aerosol     | 100g  | 33228100 |
| RID® Ultimate Pump Lotion | 500ml | 33210500 |







## RID® KIDS + ANTISEPTIC



50ml Roll-on | Qty 8

100ml Pump | Qty 8

### Features & Benefits

- A lower concentration of DEET with just 7% effectively repels for 6 hours
- Alcohol free with a mild fragrance
- Ideal for children over 12 months and people with sensitive skin
- Antiseptic reduces inflammation and assists to prevent infection caused by insect bites
- Designed to be applied as a FIRST AID as a BEFORE and AFTER bite medication

|                   |       |          |
|-------------------|-------|----------|
| RID® Kids Roll-on | 50ml  | 33318050 |
| RID® Kids Pump    | 100ml | 33338100 |



## RID® SUNSCREEN COMBO SPF50+



100ml | Qty 6

### Features & Benefits

- 100ml tube lotion with flip top seal lid
- UVA/UVB broad spectrum SPF50+
- Water resistant up to 4 hours
- Repels up to 2 hours
- Light, non-greasy and moisturising
- Squeeze tube for easy application

|                                    |          |
|------------------------------------|----------|
| RID® Sunscreen Combo SPF50+ Lotion | 33510100 |
|------------------------------------|----------|

## RID® OUTDOOR MOSQUITO COILS



10Pk & 20Pk | Qty 12

### Features & Benefits

- Available in 10 Pack with tray and stand
- Available in 20 coil value packs with bronze metal diffuser for burning
- For use in outdoor areas to combat annoying mosquitoes
- Unique bronze coloured containers for home décor appeal contains falling ash, easy to set-up stand, securely and safely holds your coil for burning
- Ideal for backyards, patios, decks and camp sites

|                     |         |          |
|---------------------|---------|----------|
| RID® Mosquito Coils | 10 Pack | 33700010 |
| RID® Mosquito Coils | 20 Pack | 33700020 |

# Terminator

## GET RID OF PESTS AND TAKE CONTROL.

As Aussies, we personally know the need for keeping out 'castle' free from unwelcome intruders who can bring nasty germs and bacteria into your home.

We use qualified combined formulations which enhance the effectiveness of our products for proven performance that are designed to specifically target the pests in an around your home. Our processes to formulate are meticulously measure to ensure we provide you with safe and effective solutions for everyday use around you and your home.

Terminator is a high-quality performance brand that offers products that deliver results to keep those unwelcome intruders out of your home.

## 100% AUSTRALIAN OWNED AND MADE.

## TERMINATOR CRAWLING INSECT KILLER



**350g | Qty 8**

### Features & Benefits

- High performance dual action surface spray
- Kills fast and protects for up to 6 months

Terminator Crawling Insect Killer

33821350



Spiders



Clothes Moths



Silverfish



Ants



Cockroaches



Carpet Beetles



Fleas



Bed Bugs

# TERMINATOR ODOURLESS MULTI INSECT KILLER



250g, 300g | Qty 8

## Features & Benefits

- High performance odourless insect killer
- Complete room treatment of flying and crawling insects

|  |      |          |
|--|------|----------|
| Terminator Odourless Multi Insect Killer | 250g | 33823250 |
| Terminator Odourless Multi Insect Killer | 300g | 33823300 |



Ants



Cockroaches



Flies



Mosquitoes



Moths



Silverfish



Spiders



Wasps

# TERMINATOR FLYING INSECT KILLER



300g | Qty 8

## Features & Benefits

- Kills flying insects in one shot
- Sprays onto surfaces for up to 7 days residual killing action

|                                 |          |
|---------------------------------|----------|
| Terminator Flying Insect Killer | 33822300 |
|---------------------------------|----------|



Spiders



Flies



Silverfish



Ants



Cockroaches



Mosquitoes



Fleas





## Head Offices

**Head Office & National Distribution Centre** | 30 Bernoulli Street, Darra QLD 4076

## Warehouses

**North Queensland** | 2/22 Langton Street, Garbutt QLD 4814

**Victoria** | 17A Westside Drive, Laverton North VIC 3026

**Western Australia** | 1/13 Mallaig Way, Canning Vale WA 6155

**Northern Territory** | 2 Damaso Place, Woolner NT 0820

**Tasmania** | 34 Trevor Street, Ulverstone TAS 7315

## National Sales & Enquiries

**Phone** | 1300 396 275

**Fax** | 1300 360 440

**Email** | [sales@dymark.com.au](mailto:sales@dymark.com.au)

## International Sales & Enquiries

**Phone** | +61 7 3327 3000

**Fax** | +61 7 3327 3009

**Email** | [exportsales@dymark.com.au](mailto:exportsales@dymark.com.au)



[www.dymark.com.au](http://www.dymark.com.au)

